

The Little EndNote How-To Book

EndNote Training



Introduction

The first thing you need to know is this is not a manual. It will not tell you which operating system any given version of EndNote is compatible with or how much RAM you need to run EndNote. It will not try to cover each finicky detail of what EndNote can do.

So, what is it?

This is an ebook of instructions on how to accomplish specific tasks in EndNote, such as importing references from a specific online database. The author will try to keep the screenshots and instructions as current as possible, which means there may be frequent new editions of this book. The goal will always be the same, though—to teach you how to make EndNote do the things you want it to do.

Please note that menu colors may be different than those shown depending on your operating system and system color preferences.

Thank you for using EndNote!

Table of Contents

| Introd | luction | 1 |
|--------|---|----|
| Table | of Contents | 2 |
| 1 | Installing EndNote | 6 |
| 1.1 | For Administrators | 6 |
| 1.1.1 | Creating a Site License Installer for Windows | 6 |
| 1.1.2 | The Site License Installer for Macintosh | 9 |
| 1.2 | For Users | 9 |
| 1.2.1 | A Custom Installation for a Site License Copy of EndNote on Windows | 9 |
| 1.2.2 | A Custom Installation for a Single-User Copy of EndNote on Windows | 16 |
| 1.2.3 | Uninstalling EndNote on Macintosh | 16 |
| 1.2.4 | A Custom Installation for a Site License Copy of EndNote on Macintosh | 17 |
| 1.2.5 | A Custom Installation for a Single-User Copy of EndNote on Macintosh | 23 |
| 2 | Using Direct Export to Import References from Online Databases | 24 |
| 2.1 | Direct Export from Web of Science | |
| 2.1.1 | Using the Marked List | 24 |
| 2.1.2 | Not Using the Marked List | |
| 2.2 | Direct Export from PubMed | |
| 2.2.1 | Using the Clipboard | |
| 2.2.2 | Not Using the Clipboard | |
| 2.3 | Browser Actions with Direct Export | |
| 2.3.1 | Firefox on Windows | |
| 2.3.2 | Firefox on Macintosh | |
| 2.3.3 | Google Chrome on Windows | |
| 2.3.4 | Google Chrome on Macintosh | |
| 2.4 | EndNote Online Plug-In for Direct Export | |
| 2.4.1 | Google Chrome on Windows | |
| 3 | Importing PDF Files and PDF Handling | 39 |
| 3.1 | Importing PDF Files | |

| EN T | he Little EndNote How-To Book | Page 3 |
|-------|--|--------|
| 3.1.1 | Importing a Folder of PDF Files on Windows | |
| 3.1.2 | Importing a Folder of PDF Files on Macintosh | |
| 3.2 | Setting PDF Handling | |
| 3.2.1 | Windows | |
| 3.2.2 | Macintosh | |
| 4 | Importing Text Files | 44 |
| 4.1 | Web of Science | |
| 4.1.1 | Saving the Data from Web of Science | |
| 4.1.2 | Importing the Web of Science File on Windows | 46 |
| 4.1.3 | Importing the Web of Science File on Macintosh | |
| 4.2 | PubMed | |
| 4.2.1 | Saving the Data from PubMed | 51 |
| 4.2.2 | Importing the PubMed file on Windows | 53 |
| 4.2.3 | Importing the PubMed File on Macintosh | 55 |
| 5 | EndNote Online | 58 |
| 5.1 | Set Up EndNote Sync | |
| 5.1.1 | Back Up the EndNote Desktop Library | |
| 5.1.2 | EndNote Sync | 59 |
| 5.2 | Installing the Internet Explorer Plug-In | 60 |
| 5.3 | Using Direct Export Online | 65 |
| 5.4 | Capturing Multiple References | |
| 5.4.1 | Installing the Capture Bookmarklet | 66 |
| 5.4.2 | Capture a Set of References from PubMed | 67 |
| 5.5 | Capturing a Single Reference | 69 |
| 6 | Cite While You Write | 71 |
| 6.1 | Cite While You Write in Microsoft Word on Windows | |
| 6.1.1 | Installing the Cite While You Write Tools | 71 |
| 6.1.2 | Adding Citations to a Document Using Insert Citation | 71 |
| 6.1.3 | Adding Citations to a Document Using Insert Selected Citation(s) | 73 |
| 6.1.4 | Selecting the EndNote Style for Your Citations and Bibliography | 74 |
| 6.1.5 | Editing Citations in the Document | 75 |

| EN The Little EndNote How-To Bo |
|--|
|--|

| 6.2 | Cite While You Write in Microsoft Word 2016 on Macintosh | |
|-------|--|-----|
| 6.2.1 | Installing the Cite While You Write Tools | 77 |
| 6.2.2 | Adding Citations to a Document Using Insert Citation | 77 |
| 6.2.3 | Adding Citations to a Document Using Insert Selected Citation(s) | 79 |
| 6.2.4 | Selecting the EndNote Style for Your Citations and Bibliography | 80 |
| 6.2.5 | Editing Citations in the Document | 81 |
| 7 | Collaboration: Sharing EndNote References | 84 |
| 7.1 | How Not to Share an EndNote Library | |
| 7.1.1 | EndNote Libraries on "Cloud" Services | |
| 7.1.2 | EndNote Libraries in "Optimized" iCloud Storage | |
| 7.1.3 | EndNote Libraries on Network Servers | |
| 7.1.4 | Sending the .enl File for a Library When Sharing a Library | 85 |
| 7.2 | Sharing Full EndNote Libraries | 85 |
| 7.2.1 | Unlimited Attachment Space in EndNote Online | |
| 7.2.2 | Full Library Sharing | |
| 7.3 | Share Groups in EndNote Online | |
| 7.3.1 | Creating an EndNote Online Library | |
| 7.3.2 | Share Your Group in EndNote Online | |
| 7.3.3 | Share a Group through EndNote | 93 |
| 7.3.4 | What the User You Shared Your Group with Will See in EndNote Online | 96 |
| 7.3.5 | What the User You Shared Your Group with Will See in EndNote | 97 |
| 7.4 | Put a Read-Only EndNote Library on a Network Drive | |
| 7.5 | Send a Compressed Library | |
| 7.6 | The Traveling Library | |
| 7.6.1 | Using the Traveling Library to Create Bibliographies in Shared Documents | |
| 7.6.2 | Exporting the Traveling Library | |
| 7.7 | Summary Comparison of Sharing Methods | |
| 8 | Using the Label Field as a Custom Identification Number | 105 |
| 8.1 | Set the Label Field to Show in the Library Display | |
| 8.2 | Make a Backup of the Library | |
| 8.3 | Copying the Record Number to the Label Field | |

| EN | The Little EndNote How-To Book | Page 5 |
|------|---|--------|
| 8.4 | Setting Cite While You Write to Use the Label Field | |
| Inde | ex of Topics | |

1 Installing EndNote

This chapter will have two main sections, one for administrators who want to create basic site license installers for their EndNote users, and one for users. Both sections will be detailed, with step-by-step instructions and screenshots.

EndNote can be installed on multiple computers just as a single user would install it, entering the product key for every installation. However, it is not necessary to enter the product key for every installation if the administrator creates or uses a site license installer.

Please note that you will need an administrative level of access sufficient to install software on your computer and that security software or operating system security settings may stop the installation process at various times and ask your permission to continue. You must choose the option to continue for the software to be installed.

Please also note the network administrator instructions will *only* work for site license/volume installations. They will *not* work for single-user installations.

1.1 For Administrators

1.1.1 Creating a Site License Installer for Windows

A site license installer for Windows consists of two files: 1) *ENX9Inst.msi* and 2) *license.dat*. These two files can be distributed to users and the user can install EndNote on their computer without knowing the site's product key for the installation. Anybody with knowledge of the product key for the site can create a basic site installer, with no programming knowledge needed.

- Download the EndNote Windows installer from http://download.endnote.com/downloads/X9/ ENX9Inst.msi (the address is case-sensitive and must be typed exactly as shown).
- Download the *ADMIN.zip* file from the <u>EndNote LibGuide</u>.
- Extract the *ADMIN.bat* file by right-clicking on the *ADMIN.zip* file and selecting *Extract All*, as shown below.

| ENX9Inst.msi | ADMIN.zip |
|--------------|-------------|
| | Open |
| | Extract All |

- This will result in a folder with the *ADMIN.bat* file inside it. Put the *ADMIN.bat* file and the ENX9Inst.msi file together in the same folder or on the desktop. They must be in the same location to create a site installer.
- Double-click on the *ADMIN.bat* file to begin creating the site installer.

• When the window below appears, click the *Next* button.

| 🕼 EndNote X9 Setup | - 🗆 X |
|--------------------|---|
| 6x | EndNote X9 Customization Wizard |
| EndNotex | EndNote X9 customization wizard will: - Perform administrative installation of EndNote X9. - Generate license file (Volume License Only) |
| | EndNote X9 customization wizard requires: - Windows Installer 3.0 or later to be installed. - 180 MB of free disk space. - Retail or Volume License product key. |
| | Next > Cancel |

• In the next window, fill in your school, company, or agency name and the product key. Mark the box to acknowledge that you have read and accept all terms of the license agreement. Then click the *Next* button.

| / EndNote X9 Setup | - 🗆 X |
|--------------------|---|
| EndNotex9 | License Information You must have a valid EndNote X9 product key to perform administrative installation or generate the license file for internal redistribution. Please enter the software licensing information below: Licensee: EndNote Training Product Key: XXXXX-XXXXX-XXXXX-XXXXX I hereby acknowledge that I have read and accept all terms of the license agreement. |
| | Next > Cancel |

• In the window below, use the *Browse* button to select the location the site installer will be created in, then click the *Next* button. Do *not* mark the option "Perform administrative installation."

| 🕼 EndNote X9 Setup | | - | - | | × |
|--------------------|---|--------|----|-------|-----|
| EndNotex9 | Select Destination Network installation point: D:\EndNote Training\ | | | | _] |
| | Perform administrative installation | | Br | rowse | |
| | | | | | |
| | | Next > | | Cano | cel |

• Then click the *Next* button again in the window below.

| 🔀 EndNote X9 Setup | - 🗆 X |
|--------------------|--|
| 62 | Admin Installation Verify Ready |
| EndNotexa | Click the Back button to change installation information or click Cancel to exit the wizard. |
| | Click Next to begin installation. |
| | |
| | |
| | |
| | Next > Cancel |

• Then the *Finish* button in the window below.



• You should see the site installer files together in your target folder, as shown below. You may now distribute these two files to users. Some schools zip the files together to make them easier to distribute. If you decide to zip the files, the user will need to extract them before running the installation. The installer will not run from a zipped file.



1.1.2 The Site License Installer for Macintosh

Because of changes made in OS X 10.12, Sierra, it is no longer possible for sites to create their own site license installers for Macintosh. Clarivate Analytics will create all site license installers for Macintosh. The site license administrator for each site will receive a link to download their custom installer for Macintosh when they receive their product key. The downloaded site license installer can then be distributed to users.

1.2 For Users

1.2.1 A Custom Installation for a Site License Copy of EndNote on Windows

A typical installation of EndNote installs less than 500 styles, 500 filters, and 500 connection files to EndNote, even though there are thousands of styles, as well as many more filters and connection files. A

EN The Little EndNote How-To Book

custom installation allows the user to add extra sets of styles, filters, and connection files to EndNote. For example, a user could add all the humanities styles available to the typical set.

If you have a previous version of EndNote installed, you should uninstall it using *Control Panel* before installing the new version.


Your school, company, or agency will need to provide you with two files to install the program, an *ENX9Inst.msi* installer and a *license.dat* file. These two files must be together in the same folder for the installation to run without asking for a product key. If you are given a zipped file containing these two files, as in the example file shown below, you will need to extract them from the zipped file before running the installer. Right-click on the file, then select the *Extract All* option as shown below.

| ENX9I | |
|-------|-------------|
| | Open |
| | Extract All |

• Use the *Browse* button to select the folder the files will be placed in after extraction, then click the *Extract* button.

| ← 📲 Extract Compressed (Zipped) Folders | | × |
|--|--------|---|
| Select a Destination and Extract Files | | |
| Files will be extracted to this folder: C:\Users\EndNote Training\Desktop\ENX9Inst Browner | owse | |
| Show extracted files when complete | | |
| Extract | Cancel | |

• The files will be extracted to the selected folder. Keep the two files together and double-click on the *ENX9Inst.msi* file to start the installation.



• In the window below, click the *Next* button to continue.

| 🖟 EndNote X9 Setup | - 🗆 X |
|--------------------|---|
| | Welcome to EndNote X9 |
| ę, | Thank you for choosing EndNote X9, the referencing software that lets you work smarter. |
| ndNote | Smarter Teamwork * Share selected groups of references, manage team access, and track activity and changes |
| | Smarter Insights - now powered by Web of Science * Track the impact of references with Citation Report and find the best-fit journal for your papers with Manuscript Matcher |
| | Smarter Workflow * Automatically create, format, and update bibliographies, with the convenience of remote access online or on your iPad * Build your bibliography with the latest reference types, including blogs, multimedia, and social media * Ensure bibliographic accuracy with new refreshed styles to update references to key styles such as Chicago, ALA, MLA, and APA |
| | Next > Cancel |


• Click the *Accept* button to confirm that you have permission from your organization to install the EndNote software. If you do not have permission, you should not install the software.

| 🕼 EndNote X9 Setup | | | - | | × |
|-----------------------|--|---|----------|---------|--------|
| EndNote ^{x9} | EndNote X9 This copy of EndNo Licensee: | Volume License te X9 is licensed to: EndNote Training | Versio | on | |
| | Serial Number: By clicking the "Acc copy of EndNote XS | ept" button, I have obtain), and I have accepted th lote Training, issued by " | e volume | license | e this |
| | | n to quit this installation i r you do not want to acc oftware. | | | ned |
| | - | Accep | t > | Canc | el |

• Next you will see the window below, where you can review the *Read Me Information*. Then click the *Next* button to continue.

| 🕼 EndNote X9 Setup | | — | | × |
|--------------------|---|---|------|----|
| | Read Me Information | | | |
| Note ^{x3} | EndNote X9 for Windows Read Me Version X9.0 June 2018 | | | ^ |
| End | CONTENTS: | | | |
| | I. NEW FEATURES II. INSTALLATIONS III. CONTACT INFORMATION | | | |
| | I. NEW FEATURES | | | |
| | * Manage team input by providing col either "write" or "read only" access to | | | ~ |
| | Next | > | Canc | el |

• In the window below, read and accept the EndNote end user license agreement before you click *Next* to continue the installation.



• In the window below, decide if you will perform a typical installation or a custom installation. If you select a *Typical* installation, a limited set of popular styles, filters, and connection files will be installed. If you select a *Custom* installation, you can choose which additional sets of styles, filters, and connection files will be added to the typical set. The remaining windows will show the options for a *Custom* installation. Click *Next* to continue.


| 🖟 EndNote X9 Setup | - 🗆 X |
|--------------------|---|
| | Select Installation Type |
| EndNotex | Typical All application features and the Most Popular Bibliographic Output Styles, Online Connections, and Import Filters will be installed. This option is recommended for the best performance. |
| | © Custom Use this option to choose specific application features and any Bibliographic Output Styles, Online Connections, and Import Filters you want to install in addition to the Most Popular files. This is recommended for advanced EndNote users. |
| | |
| | Next > Cancel |

EN.

• By default, the program will be installed in the C:\Program Files (X96)\EndNote X9\ folder, but you can change this if you need to. It is best to leave it with the default location unless it is necessary to put it in another folder for some reason, such as a lack of space on the C drive. Click the **Next** button to continue.

| 🕼 EndNote X9 Setup | _ | | × |
|--------------------|--|--------------|----|
| ndNote** | Select Destination The Wise Installation Wizard will install the files for Ei the following folder. | ndNote X9 in | |
| End | To install into a different folder, click the Browse butto another folder. You can choose not to install EndNote X9 by clicking the Wise Installation Wizard. | | it |
| | Destination Folder C:\Program Files (x86)\EndNote X9\ | Browse | |
| | | Diowse | |
| | Next > | Canc | el |


- In the window below—
 - 1. Click the plus sign (+) by an option to open it for editing.
 - 2. Click the drop-down list button for the sets of styles, filters, or connection files you want to add. For this example, the set of all *Arts and Humanities* styles is selected.
 - 3. Select the Will be installed on local hard drive option to add that set of files to the default set.
 - 4. Click the *Next* button after making all your selections.



- Note: In the window above you could also click the option (for example, *Additional Styles*), then select the option *Entire feature will be installed on local hard drive* to install all the files for that option. Please remember for Styles that would install over 6,000 styles.
- Click the *Next* button again in the window shown below.



- If you see a window asking if you want to allow the EndNote application to make changes to your device, select *Yes*.
- Click the *Finish* button when you see the window below saying EndNote has been successfully installed. You are now ready to begin using EndNote.



Important: Save a copy of the installation files in a safe place in case you need to install EndNote again in the future.


1.2.2 A Custom Installation for a Single-User Copy of EndNote on Windows

A custom installation for a single user will proceed just as it does for a site license user, except the program may be installed from a disk or from a single downloaded installation file. The user will be required to input a product key, then proceed from the *Read Me Information* as shown <u>above</u>.

1.2.3 Uninstalling EndNote on Macintosh

Previous versions of EndNote should be uninstalled before installing the current version.


• Close all EndNote libraries, then select *Customizer* from the *EndNote* menu to begin.



• In the *Customizer* window shown below, unmark all boxes, then click the *Uninstall* button.

| EndNote X9 Customizer | | | |
|-------------------------------------|--|-----------|--|
| Select Components | | | |
| Customization | Component | Installed | Info |
| Word Add-in | Cite While You Write | | Cite While You Write addin for Microsoft W |
| Updating System | Services | | Services for Mac OS X |
| • Summary | Spotlight Connections Import Filters Output Styles | | Spotlight Indexing Additional Connection Files Additional Import Filters Additional Bibliographical Output Styles |
| EN | | | |
| ? Cancel | Uninstall | | Back Next |

• There will be a warning that all external EndNote components will be uninstalled. Click **Yes** to continue uninstalling EndNote.



• When the uninstall finishes you will see the window below. Click the *Exit* button, then drag the *EndNote* folder in *Applications* to the trash. If you have stored any personal libraries, styles, filters, or connection files in the EndNote folder, these should first be moved to the Documents folder. In general, it is best to keep these files in Documents.

| | EndNote X9 Customizer |
|---|--|
| Customization Word Add-in Updating System | EndNote X9 Customizer has removed all components of EndNote that was previously configured on your computer. You can now remove it from way machine has divided for the solution of the solution to the soluti |
| • Summary | from your machine by clicking 'Exit' and dragging the EndNote folder to the trash. Please take a moment to move any files you have saved or created in the EndNote application folder to another location prior to dragging it to the |
| EN | trash. |
| ? Cancel | Uninstall Exit |

• You are now ready to begin the installation, described in section <u>1.2.4</u> below.

1.2.4 A Custom Installation for a Site License Copy of EndNote on Macintosh

A typical installation of EndNote installs less than 500 styles, 500 filters, and 500 connection files to EndNote, even though there are thousands of styles, as well as many more filters and connection files. A custom installation will allow the user to add extra sets of styles, filters, and connection files to EndNote. For example, a user could add all the humanities styles available to the typical set.

Note that your Security & Privacy settings must allow apps downloaded from the Mac App Store and identified developers to install EndNote.


If you have a previous version of EndNote installed, you should uninstall it before installing the new version. You can find instructions for uninstalling recent previous versions of EndNote in section <u>1.2.3</u>. • You should receive a single file called *EndNote X9 Site Installer.dmg* from your site administrator like that shown below. Only a site installer can be used to install a permanent volume copy of EndNote without a product key. Double-click on the site installer to begin the installation.




• In the window below, *double-click the icon in the center* to begin the installation.



• If you see a window like the one below, asking if you want to open the application, you will need to click the Open button to continue the installation.



• Click the *Install* button.



• Click the *Next* button in the *Welcome to EndNote X9* window below.

| EndNote X9 Customizer | | |
|-----------------------|---|--|
| | Welcome to EndNote X9 | |
| Welcome | | |
| Read Me | Thank you for choosing EndNote X9, the referencing software that lets you work smarter. | |
| Updating System | | |
| Summary | Smarter Teamwork * Share selected groups of references, manage team access, and track activity and changes | |
| | Smarter Insights - now powered by Web of Science * Track the impact of references with Citation Report and find the best- fit journal for your papers with Manuscript Matcher | |
| EN | Smarter Workflow * Automatically create, format, and update bibliographies, with the convenience of remote access online or on your iPad * Build your bibliography with the latest reference types, including blogs, multimedia, and social media * Ensure bibliographic accuracy with new refreshed styles to update references to key styles such as Chicago, ALA, MLA, and APA | |
| ? Cancel | Next | |

EN The Little EndNote How-To Book

• Next you will see the window below, where you can review the *Read Me* information. Then click the *Next* button to continue.

| EndNote X9 Customizer | | |
|-------------------------------------|---|---|
| | Read Me | |
| Welcome | EndNote X9 for Macintosh Read Me Version X9.0 |] |
| Read Me | June 2018 | |
| Updating System | | |
| Summary | CONTENTS: | |
| | I. NEW FEATURES II. INSTALLATIONS III. CONTACT INFORMATION | |
| | I. NEW FEATURES | |
| | | |
| FN | * Manage team input by providing colleagues with either "write" or "read only" access to your library | |
| | * Share a group or view the list of groups shared to you directly from the desktop | |
| | * Use Manuscript Matcher to get an informed list of best-fit journals for submitting your paper | |
| ? Cancel | Next | |


• Then the *Done* button in the window below to complete the installation.

| EndNote X9 Customizer | | |
|-------------------------------------|---------------------------------|--|
| | Thank you for using EndNote X9 | |
| Welcome | | |
| Read Me | | |
| Updating System | | |
| • Summary | | |
| | | |
| | Thank you for using EndNote X9! | |
| | Register EndNote X9 Online | |
| EN | | |
| ? Cancel | Done | |


• The first time you open EndNote, it will automatically create an EndNote library for you called "My EndNote Library" and place it in the Documents folder. It will also show the *Welcome to EndNote* guide below. When finished looking through the *Welcome to EndNote* guide you can close it using the *Close* button in the upper-left corner.



• To add styles, filters, and connection files, select *Customizer* from the *EndNote* menu.



• Click the small arrow by *Connections, Import Filters*, or *Output Styles* to select the type of files you want to add, then mark the box(es) for the set(s) you want, and click the *Next* button.



• You will also have the option to customize Cite While You Write if you have not used standard settings while installing Microsoft Word. Click *Customize* if you have a nonstandard Word installation, otherwise click *Next*.

| | EndNote X9 Customizer |
|-------------------------------------|---|
| | Cite While You Write for Microsoft Word |
| Customization | |
| Word Add-in | The Customizer will install the Cite While You Write add-in for the instance of Microsoft Word 2008, 2011, or 2016 installed on this |
| Updating System | computer. |
| Summary | |
| | If you have installed Microsoft Word to any non-standard paths, or have changed the Startup folder location, please click the "Customize" button. |
| | Customize |
| | |
| EN | |
| ? Cancel | Next Next |

• When the Customizer finishes, click *Done* to finish. You are now ready to begin using EndNote.

| EndNote X9 Customizer | | |
|-------------------------------------|---|--|
| | Finish | |
| Customization | | |
| Word Add-in | | |
| Updating System | Selected changes have been applied to your computer successfully. | |
| Summary | | |
| EN | | |
| ? Cancel | Done | |

Important: Save a copy of the installation file in a safe place in case you need to install EndNote again in the future.

1.2.5 A Custom Installation for a Single-User Copy of EndNote on Macintosh

An installation for a single-user copy of EndNote will be very much the same as for a site-license copy, with the addition of needing to provide a product key during the installation.

2 Using Direct Export to Import References from Online Databases

2.1 Direct Export from Web of Science

2.1.1 Using the Marked List

Web of Science's marked list provides a useful way to keep track of the references you want to keep when browsing a large set of search results. References can be added to the marked list as you browse through them, then exported from the marked list later.

- Perform your search of the Web of Science.
- Mark the references you want to add to the marked list, and click on the *Add to Marked List* button.



• When ready to export, go to the marked list by clicking the *Marked List* button.



• You will see a window like the one below with three "steps" for options.

| 10 records from <i>Web of Science Core Collection</i> Output complete data from this product for these records. | | | | | | |
|---|-------------------------------|----------------------------|--|--|--|--|
| Output Records [- Hide Ou | Itput Options] 5K | | | | | |
| Step 1: Select records. | Step 2: Select content. | Step 3: Select destination | . [Learn about saving to bibliographic software] | | | |
| All records in this list (up to 50) | DO) Select from the fields b | elow: 🗗 🗹 Save to EndNo | ote online 👻 | | | |
| ○ All records on page | | | | | | |
| | | | | | | |
| Records to | | | | | | |
| | | | | | | |
| Select All Reset Save Compared Select All Save Compared Select All Reset Save Compared Select All Save Compared Sel | ustom Settings | | | | | |
| Author(s) / Editor(s) | Title | Source | Conference Information | | | |
| □ Abstract* | Cited References* | Document Type | Conference Sponsors | | | |
| □ Addresses | Times Cited | Keywords | Publisher Information | | | |
| SSN / ISBN | Cited Reference Count | Source Abbrev. | Page Count / Chapter Count | | | |
| IDS Number | Language | Web of Science Categories | Research Areas | | | |
| Funding Information | Accession Number | Author Identifiers | Usage Count | | | |
| ✓ PubMed ID | Open Access | Hot Paper | □ Highly Cited | | | |
| | increase the processing time. | | | | | |


- Select the records you want to import in Step 1 of the window, shown below (usually "All records in this list" if 500 or less).

Step 1: Select records.

• Select the fields you want to import in Step 2. The example below is from a search of the Web of Science Core Collection. If you are searching databases outside the core collection, there will be fewer fields available.

| | Step 2: Select content. | | |
|-----------------------------|-------------------------------|---------------------------|------------------------------|
| | Select from the fields be | elow: | |
| | | | |
| | | | |
| | | | |
| Select All Reset Save C | ustom Settings | | |
| Author(s) / Editor(s) | Title | Source | Conference Information |
| Abstract* | Cited References* | 🗹 Document Type | Conference Sponsors |
| Addresses | Times Cited | 🗹 Keywords | Publisher Information |
| ISSN / ISBN | Cited Reference Count | Source Abbrev. | 🗹 Page Count / Chapter Count |
| IDS Number | 🗹 Language | Web of Science Categories | Research Areas |
| Funding Information | Accession Number | Author Identifiers | Usage Count |
| PubMed ID | Open Access | 🗹 Hot Paper | Highly Cited |
| *Selecting these items will | increase the processing time. | | |

• Select *Save to EndNote desktop* from the drop-down *Save to* list in Step 3.




At this point your browser will need to send the file to EndNote. Different browsers will react differently at this point. Click on your browser below for instructions on how to proceed for your browser the first time you attempt direct export in that browser. Note that the file type shown will be different for different databases. For Web of Science it will end with a .ciw extension.

- o <u>Firefox on Windows</u>
- o Firefox on Macintosh
- o <u>Google Chrome on Windows</u>
- o <u>Google Chrome on Macintosh</u>
- o Safari on Macintosh

Safari does not support direct export.

2.1.2 Not Using the Marked List

• Perform your search on the Web of Science and select the references you want to import. Then select *Save to EndNote desktop* from the drop-down *Save to* list.



• You will see a window like the one below, if you have selected references by marking them, and will not need to do anything further to select references.

| Send to EndNote | | × |
|-------------------|---------------------------------|---|
| 2 records selecte | d | |
| Record Content: | Author, Title, Source, Abstract | • |
| | Send Cancel | |

• If you have not selected references, you will see a window like this, and need to select either all the records on the page or a range of records.

| Send to EndNote | | × |
|-------------------|--|---|
| Number of Records | All records on page Records to | |
| Record Content: | | |
| Record Content: | Author, Title, Source, Abstract Send Cancel | • |
| | | |

• With either of the options above, you will now need to select the fields to export. Select the *Full Record* option to get the keywords and author's address as well as the main bibliographic information. Note that the Full Record option will only be available when you are searching the Web of Science Core Collection. If searching outside the core collection, select *Author, Title, Source, Abstract.*

| Send to EndNote | | × |
|-----------------|---|---|
| | All records on page Records to | |
| Record Content: | Author, Title, Source, Abstract | • |
| | Author, Title, Source | |
| | Author, Title, Source, Abstract | |
| | Full Record | |
| | Full Record and Cited References | |

• Then click the *Send* button.

| Send to EndNote | | \mathbf{x} |
|-------------------|-------------------------|--------------|
| Number of Records | ∶ ● All records on page | |
| | Records to | |
| | | |
| Record Content: | Full Record | - |
| - | Send Cancel | |

- At this point your browser will need to send the file to EndNote. Different browsers will react differently at this point. Click on your browser below for instructions on how to proceed for your browser the first time you attempt direct export in that browser. Note that the file type shown will be different for different databases. For Web of Science it will end with a .ciw extension.
 - o <u>Firefox on Windows</u>
 - Firefox on Macintosh
 - o <u>Google Chrome on Windows</u>
 - o <u>Google Chrome on Macintosh</u>
 - o Safari on Macintosh

Safari does not support direct export.

2.2 Direct Export from PubMed

2.2.1 Using the Clipboard

PubMed's clipboard provides a useful way to keep track of the references you want to keep when browsing a large set of search results. References can be added to the clipboard as you browse through them, then exported from the clipboard later.

• Perform your search of PubMed and mark the references you would like to add to the Clipboard on each page, then click on the *Send to* link to send the selected references to the Clipboard.



• In the window shown below, select the *Clipboard* option, then click the *Add to Clipboard* button to add the selected references to the Clipboard. You can continue adding references to the Clipboard. Up to 500 references can be kept on the Clipboard for up to eight hours without activity.

| | Send to 🗸 |
|--|--|
| Choose Destination | on |
| File Collections Order Citation manager | Clipboard E-mail My Bibliography |
| Add 2 items. Add to Clipboard | - |

• After adding items to the Clipboard, you will see a **Clipboard** link to the right of the **Send to** link, telling you how many items are in the Clipboard. When you have finished adding items to the Clipboard and are ready to send them to EndNote, click the *Clipboard items* link.

| Send to 🚽 📋 | Clipboard: <u>2 items</u> |
|--------------|---------------------------|
|--------------|---------------------------|

• In the Clipboard screen, click the *Send to* link, then select the *Citation Manager* option.



• Click the *Create File* button.

| | Send to 🗸 | | Clipb | oard: <u>2 items</u> |
|---|------------|--------|--------|----------------------|
| Choose Destination | 'n | | | |
| File | Collectio | ns | | |
| E-mail | Order | | | |
| My Bibliography | Citation I | mana | ger | |
| Generate a file for u management softwa Download 2 citation | are. | mal ci | tation | |

- At this point your browser will need to send the file to EndNote. Different browsers will react differently at this point. Click on your browser below for instructions on how to proceed for your browser the first time you attempt direct export in that browser. Note that the file type shown will be different for different databases. For PubMed it will end with a .nbib extension.
 - o Firefox on Windows
 - o Firefox on Macintosh
 - o <u>Google Chrome on Windows</u>
 - o Google Chrome on Macintosh
 - o Safari on Macintosh

Safari does not support direct export.

2.2.2 Not Using the Clipboard

• Perform your search of PubMed. You can mark the references you would like to export on each page, if you wish. If you do not mark any references, all the references in the found set can be exported, in batches of up to 200 at a time. Click the *Send to* link to begin the export process.



• Then select *Citation Manager*.



• Select the number of references to export in the current batch, up to a maximum of 200 references.

| | Send to 🗸 |
|--|------------------------------------|
| Choose Destinatio | n |
| File | Clipboard |
| Collections | ─ E-mail |
| Order | My Bibliography |
| Citation manager | |
| management softwa | ise with external citation are. |
| Number to send 20 ▼ 5 m citation 10 | |
| 20 | |
| 50 100 200 | |

• Keep track of the end number of the batch so you can repeat the export process for the next batch with the next consecutive record number. Then click the *Create File* button.

| | Send to 🗸 |
|--|-----------------|
| Choose Destinatio | n |
| File | Clipboard |
| Collections | 🔵 E-mail |
| Order | My Bibliography |
| Citation manager | |
| management softwa Number to send 20 ▼ Start from citation 1 Create File | are. |

- At this point your browser will need to send the file to EndNote. Different browsers will react differently at this point. Click on your browser below for instructions on how to proceed for your browser the first time you attempt direct export in that browser. Note that the file type shown will be different for different databases. For PubMed it will end with a .nbib extension.
 - o <u>Firefox on Windows</u>
 - o Firefox on Macintosh
 - o <u>Google Chrome on Windows</u>
 - o <u>Google Chrome on Macintosh</u>
 - o Safari on Macintosh

Safari does not support direct export.

2.3 Browser Actions with Direct Export

2.3.1 Firefox on Windows

- Your EndNote library should be open before attempting to import references.
- Firefox will bring up a window similar to the one below the first time a new export file type attempts to download. On Windows, you can choose the *ResearchSoft Direct Export Helper* option or you can click the *Other* button to select another program to open the file with.

| Opening savedrecs.ciw | | | | |
|--|--------|--|--|--|
| You have chosen to open: | | | | |
| 🛃 savedrecs.ciw | | | | |
| which is: ISI Common Export Format | | | | |
| from: http://ets.webofknowledge.com | | | | |
| What should Firefox do with this file? | | | | |
| Open with ResearchSoft Direct Export Helper (default) | \sim | | | |
| <u>Save File</u> ResearchSoft Direct Export Helper (default) | | | | |
| EndNote X9 (Bld 12043) | | | | |
| Do this <u>a</u> uto Other | | | | |
| | | | | |
| OK Can | cel | | | |

• If you used the *Other* option, select the *EndNote* program to open the file in EndNote, then click the *OK* button.

| Choose Helper Application | × |
|--|------------------|
| ISI Common Expo savedrecs.ciw Send this item to: | rt Format |
| ResearchSoft Dire | ct Export Helper |
| EN EndNote X9 (Bld | 2043) |
| Internet Explorer | |
| Notepad | |
| Snagit Editor | ~ |
| Browse. | OK Cancel |

• When returned to the window below, you may select the option to *Do this automatically for files like this from now on*. Please note there are several different files types that work with direct export and you will need to go through this process for each of these file types (.ciw, .ris, .ovd, .enw, .nbib).

| Opening savedrecs.ciw | × | |
|---|---|--|
| You have chosen to open: | | |
| 😼 savedrecs.ciw | | |
| which is: ISI Common Export Format from: http://ets.webofknowledge.com | | |
| What should Firefox do with this file? | | |
| Open with EndNote X9 (Bld 12043) | | |
| ○ <u>S</u> ave File | | |
| Do this <u>a</u> utomatically for files like this from now on. | | |
| Settings can be changed using the Applications tab in Firefox's Options. | | |
| OK Cancel | | |

• Click the *OK* button to finish the import into EndNote.

2.3.2 Firefox on Macintosh


- Your EndNote library should be open before attempting to import references.
- There is a known issue with direct export and EndNote libraries saved as a package (.enlp) on the Mac for some versions of EndNote. EndNote may ask you to select a library even though your library is already open when importing. Clicking "Cancel" will still import the references. Libraries not saved as packages will not have this problem. If your library is saved as a package, you can select *Save a Copy* from the *File* menu to create a copy of the library in the standard format. Do not select the option to save the copy as a package when prompted for the copy's name and location. After creating your copy, use the copy as your new EndNote library instead of the packaged file.
- Firefox will bring up a window like the one below the first time a new export file type attempts to download. To have the file open in EndNote so the references will be imported, click the *Choose* button to open the file with an application.

| | Opening savedrecs.ciw | |
|---|--------------------------|--|
| You have chosen to open: | | |
| savedrecs.civ | N | |
| which is: CIW file | | |
| from: http://ets.webofknowledge.com | | |
| What should Fir | refox do with this file? | |
| Open with Choose Open with Choose Save File Do this automatically for files like this from now on. | | |
| | Cancel OK | |

• This should bring up a window like the one below. Navigate to the **Applications/EndNote** folder and select the **EndNote** application. Then click on the **Open** button.

| Favorites | Name | Date Modified |
|---------------------|---------------------------------|-----------------------|
| | ▼ EndNote X9 | Today, 1:51 PM |
| iCloud Drive | Cite While You Write | Today, 1:45 AM |
| Applications | Connections | Today, 1:51 PM |
| 🛄 Desktop | EN EndNote X9.app | Today, 1:39 AM |
| Documents | EndNote.pdf | Today, 1:45 AM |
| | Examples | Today, 2:23 PM |
| Downloads | Filters | Today, 1:27 AM |
| 😭 donnakirking | 👕 License Agreement.txt | Today, 1:45 AM |
| OneDrive - Clari | Plugins | Today, 1:45 AM |
| | Product-Support | Today, 1:45 AM |
| 📄 Clarivate Analyti | Readme.txt | Today, 1:45 AM |
| Devices | Services | Today, 1:45 AM |
| _ | 🕨 🚞 Spell | Today, 1:45 AM |
| 🙆 DKWorkBak 🔺 | 🕨 🚞 Styles | Today, 1:51 PM |
| U1420704-TPM | Terms | Today, 1:45 AM |
| Olympic I | XML Support | Today, 1:45 AM |
| Shared | Epson Software | May 14, 2018, 7:39 AM |
| 🎲 All | Secerime.app | Jan 18, 2018, 9:34 AM |
| | | |


• When returned to the window below, you may select the option to *Do this automatically for files like this from now on*. Please note there are several different file types that work with direct export, and you will need to go through this process for each of these file types (.ciw, .ris, .ovd, .enw, .nbib).



• Click the **OK** button to finish the import into EndNote.

2.3.3 Google Chrome on Windows

• Upon selecting the option to export from the online database, you will see the items below in the bottom left corner of the Chrome window. Select the option to *Open*. (Note that you can also select the option to *Always open files of this type* if you are absolutely sure you always want Chrome to open those files in EndNote in the future.)



• If you see the window below, click *More apps* to see a list of available applications. *Unmark the box* to always use this app to open files of this type unless you are absolutely sure you always want this type of file to be opened by EndNote.

| How do you want to open this file? | | |
|--|----|--|
| Look for an app in the Store | | |
| More apps | | |
| Always use this app to open .ciw files | | |
| | ОК | |
| | | |


• You will then see a window similar to this, showing you a list of possible applications for opening the file. Select *EndNote* from the list. (Notes: This window may be different for different versions of Windows and Chrome. If you have installed the EndNote online plug-in for Internet Explorer and have previously set this file type to open, you may not see this window in Chrome. See section <u>2.4.1</u>. for more information) Select the *EndNote* application. Once again, *unmark the box to always use this app to open files of this type unless you are absolutely sure you always want this type of file to be opened by EndNote*. Then click the *OK* button.

| How | do you want to open this file? |
|-----|---------------------------------------|
| | Look for an app in the Store |
| EN | EndNote X9 (Bld 12019) |
| e | Internet Explorer |
| | Notepad |
| PDF | Nuance Power PDF |
| Ì | Paint |
| 5 | Snagit Editor |
| A | lways use this app to open .ciw files |
| • | ОК |


2.3.4 Google Chrome on Macintosh

The author has found the commands below to work only when using OSX 10.10, Yosemite, or later with Google Chrome. This has not worked with earlier versions of OSX.


• Upon selecting the option to export from the online database, you will see the item below in the bottom left corner of the Chrome window. Click the ellipsis (...) to see a list of options.



• Select the option to *Open*. (Note that you can also select the option to *Always open files of this type* if you are absolutely sure you always want it to open those files in EndNote in the future.)



• If you see the window below, click *Choose Application* to see a list of available applications.



• Select the *EndNote* application in the *Applications/EndNote* folder, then click the *Open* button.

| | Choose an application to open the document "savedrecs.ciw". | |
|----------------|---|----------------|
| | 🗐 💷 🧱 🔪 陆 Applications 🗘 🚹 | Q Search |
| Favorites | Name | Date Modified |
| iCloud Drive | TendNote X9 | Today, 1:51 PM |
| Applications | Cite While You Write | Today, 1:45 AM |
| | Connections | Today, 1:51 PM |
| Desktop | EndNote X9.app | Today, 1:39 AM |
| Documents | EndNote.pdf | Today, 1:45 AM |
| Deverte e de | Examples | Today, 2:23 PM |
| Downloads | Filters | Today, 1:27 AM |
| 😭 donnakirking | License Agreement.txt | Today, 1:45 AM |
| OneDrive - Cl | Plugins | Today, 1:45 AM |
| Clarivate Anal | Product-Support | Todav. 1:45 AM |
| Options | | Open |

2.4 EndNote Online Plug-In for Direct Export

2.4.1 Google Chrome on Windows

• If you have installed the EndNote online plug-in for Internet Explorer and you have set Google Chrome to *Open* file types that are used with direct export instead of save them, you will see a window like the one below when you use direct export. Select *EndNote* if you want the search results sent to your EndNote desktop library. Select *EndNote Online* if you want the search results sent to your EndNote online library. See section <u>5.2</u> for instructions for installing the plug-in.

| Choose Destination | × |
|-----------------------|--------|
| Export to: EndNote | ОК |
| EndNote Online | Cancel |
| | |

• If you have not installed the Internet Explorer plug-in, you will need to follow the directions in section <u>2.3.3</u>.

3 Importing PDF Files and PDF Handling

3.1 Importing PDF Files

EndNote can import PDF files containing a Digital Object Identifier (DOI) in the metadata or the first two pages of the PDF. EndNote sends the DOI to PubMed and CrossRef, online databases capable of looking up reference data by DOI. The online databases send back the bibliographic information, EndNote imports it, then attaches the PDF to the record created. This means the PDF must have a DOI and EndNote must have access to the Internet during the import.

3.1.1 Importing a Folder of PDF Files on Windows

• Select 1) *Import* from the *File* menu, then 2) *Folder*.

| EndNote X9 | | |
|-----------------------------|-------------------|--------|
| File Edit References Groups | Tools Window Help | |
| New | | |
| Open Library | Ctrl+O | |
| Open Shared Library | Ctrtl+Shift+O | |
| Open Recent | > | |
| Close Library | Ctrl+W | |
| Save | Ctrl+S | |
| Save As | | |
| Save a Copy | | |
| Revert | | |
| Share | | |
| Export | | |
| Import | 2 > | File |
| Print | Curr | Folder |
| Print Preview | | |

1) Click the *Choose* button, navigate to the folder you want to import, and double-click on it. It will appear in the Import Folder: field. 2) If you wish to include subfolders within that folder, mark the box labeled *Include files in subfolders*. 3) If you want EndNote to create a separate group set for the main folder and groups within it for the subfolders, mark the box labeled *Create a Group Set for this import*. Leave the other settings at their defaults. (Note that EndNote will attempt to attach PDFs to matching records that already exist in the library instead of creating duplicate records.) 4) When all your options are set, click the *Import* button.

| Import Folder | ? × |
|------------------|--|
| Import Folder: 2 | C:\Users\DMK\Desktop\Sample PDFs\ Choose Include files in subfolders Create a Group Set for this import |
| Import Option: | PDF |
| Duplicates: | Import All V Import Cancel |

• The PDF files are imported. Below you see an example of the group set and groups that would be created for a folder called *Sample PDFs* that contained a subfolder called *Bats* and a subfolder called *Birds*.

| ■ Sample PDFs | |
|---------------|-----|
| 🗐 Bats | (6) |
| 📑 Birds | (9) |

3.1.2 Importing a Folder of PDF Files on Macintosh

• Select *Import* from the *File* menu.

| File | |
|---|------------------------|
| New Open Library Open Shared Library Open Recent | 業O 企業O ▶ |
| Close Library Save Save As Save a Copy Revert | ₩W ₩S ☆₩S |
| Share | |
| Export | |
| Import | |

• Navigate to the location of the folder of PDFs you want to import. Select the folder, then click the *Options* button.

| | 🗮 🖽 📰 🗸 🛅 Desktop | | Q Search |
|--|-------------------|----------------------|----------------------------|
| | Name | Date Modified | ✓ Size |
| and the second s | | | - |
| | Sample PDFs | Feb 1, 2018, 6:03 PM | 144 |
| | Bats | Feb 1, 2018, 6:17 PM | · |
| Contraction of the local division of the loc | Birds | Feb 1, 2018, 6:17 PM | |
| | | | |
| | | | |
| | | | |
| and the second second | | | |
| Options | - | | Cancel Import |

• In the Options, select *PDF File or Folder* if you do not want EndNote to create a group set and groups for the imported PDFs, or if you are only importing a single PDF. Select *PDF Folder as a Group Set* if you want EndNote to create a group set and groups for the imported PDFs. (Note: The rest of this example will show the group set option.)

| Imp | oort Options: | ✓ PDF File or Folder | |
|---------|----------------|-----------------------------------|---------------|
| | | PDF Folder as a Group Set | |
| Dup | olicates: | EndNote Library | |
| т | t Translation. | EndNote Import | |
| lex | t Translation: | Refer/BibIX | |
| | | Tab Delimited | |
| Options | | Reference Manager (RIS) ISI-CE | Cancel Import |

• Leave the other options at the default settings and click the *Import* button. (Note that EndNote will attempt to attach PDFs to matching records that already exist in the library instead of creating duplicate records.)

| | Import Options: | PDF Folder as a Group Set | \Diamond | |
|---------|-------------------|---------------------------|------------|--------|
| | Duplicates: | Import All | \$ | |
| | Text Translation: | No Translation | \$ | |
| | | | | |
| Options | | | | Import |


• EndNote will import the PDFs and create the group set and groups.

| Sample PDFs | |
|-------------|---|
| Bats | 6 |
| Birds | 9 |

3.2 Setting PDF Handling

3.2.1 Windows

• Select *Preferences* from the *Edit* menu to open the EndNote preferences panel.




• Click the *PDF Handling* option in the preferences panel to see the window below. Here you can set automatic renaming options for PDFs you import or set a "watched" auto-import folder. Any PDF added to the auto-import folder will be imported into the EndNote library. (Note: You cannot put folders of PDFs in the auto-import folder, only individual PDFs.) Click the *OK* button when you have finished selecting your options. (Note: A folder within the auto-import folder will be created to hold PDFs after they have been imported, so you can easily tell which files have already been imported and which have not yet been imported.)

| EndNote Preferences X |
|--|
| Change Case Display Fields Display Fonts Duplicates Find Full Text Folder Locations Formatting Libraries PDF Handling Read / Unread Reference Types Sorting Spell Check Sync Temporary Citations Term Lists URLs & Links PDF Auto Import Folder PDF Auto Import Folder Select Folder |
| EndNote Defaults Revert Panel OK Cancel Apply |

• EndNote will check the auto-import folder for new PDFs when a library is opened. After opening the library, EndNote will scan for new additions to the folder on a schedule. If you continue working in EndNote and adding PDFs to the auto-import folder, new PDFs added to the folder should be imported into EndNote within ten minutes of adding them to the folder, but you will need to be working in EndNote. If you have been working in another program and switch back to the EndNote window, but do not see your new additions, click on any reference in the list of references to trigger importing.

3.2.2 Macintosh

• Select *Preferences* from the *EndNote X9* menu to open the EndNote preferences panel.



1) Click the *PDF Handling* option in the preferences panel to see the window below. Here you can set automatic renaming options for PDFs you import or set a "watched" auto-import folder. Any PDF added to the auto-import folder will be imported into the EndNote library. 2) Click the *Save* button when you have finished selecting your options, then 3) close the window.

| • | | EndNote™ Preferences |
|---|---|--|
| | 3 Change Case Display Fields Display Fonts Duplicates Find Full Text | EndNote™ Preferences PDF Auto Renaming Options Onn't Rename Author + Year + Title Author + Title |
| | Folder Locations Formatting Libraries PDF Handling | Author + Year Title Custom |
| | Read / Unread Reference Types Sorting Sync | |
| | Temporary Citations Term Lists URLs & Links | Note: Filenames may be up to 50 characters long. |
| | | PDF Auto Import Folder Enable automatic importing Select Folder |
| | | EndNote Defaults Revert Panel |

4 Importing Text Files

Although direct export is a very popular way of importing references from online databases, data can also be saved as a text file and then imported. Two advantages of saving a text file and then importing it are—

- 1. Duplicates can be filtered out during the import process, before they enter the library.
- 2. If the Find Full Text preferences are set to Automatically invoke Find Full Text on newly imported references, then EndNote will automatically start searching for PDFs to match all the imported references as soon as the import is finished.

Importing works by pattern matching, so it is very important that the pattern of the data saved matches the pattern of the EndNote filter used to import it. Check the EndNote filter's *About This Filter* section for instructions for downloading data in the correct format to match the filter.

Below are instructions for saving text files from two popular databases, the Web of Science and PubMed.

4.1 Web of Science

4.1.1 Saving the Data from Web of Science

The method below uses the Web of Science Marked List and will allow you to import the PubMed PMID number into the Notes field of the EndNote record if you are searching the *Web of Science Core Collection*. The instructions are the same for both Windows and Macintosh.

- Perform your search in the Web of Science Core Collection.
- Mark the records you want to save and click the *Add to Marked List* button.

| Save to EndNote online | • | Add to Marked List | | ш | erea |
|------------------------|---|--------------------|--|---|------|
| | | | | | |


• After selecting all records, click the *Marked List* button.



• In the *Marked List*, select 1) *All records in this list (up to 500)*, 2) the fields you want exported, and 3) the *Save to Other File Formats* option from the *Select Destination* drop-down list. Please note the PubMed ID field will only be available if you have limited your search to the Web of Science Core Collection.

| 10 records from <i>Web of Science Core Collection</i> Output complete data from this product for these records. | | | | | | | | |
|---|------------------------------|---------------|---|--|--|--|--|--|
| Output Records [- Hide Output Options] 5K | | | | | | | | |
| Step 1 : Select records. | Step 2: Select content. | Step 3: Se | elect destination. [Learn about saving to bibliographic software] | | | | | |
| Ill records in this list (up to 500) | Select from the fields below | w: 🗗 🖬 | Save to EndNote online | | | | | |
| ○ All records on page | | | Save to EndNote online | | | | | |
| O Records to | | | Save to EndNote desktop | | | | | |
| 2 🗆 Select All Reset Save Custor | n Settings | | Save to ResearcherID - I wrote these | | | | | |
| 🗹 Author(s) / Editor(s) 🖉 | Title | Source | Save to FECYT CVN | | | | | |
| ✓ Abstract* | Cited References* | Document Ty | Save to InCites | | | | | |
| Addresses | Times Cited | Keywords | Save to Other File Formats | | | | | |
| ISSN / ISBN | Cited Reference Count | Source Abbre | Save to RefWorks | | | | | |
| 🗹 IDS Number 🖉 | Language | Web of Scien | | | | | | |
| Funding Information | Accession Number | Author Identi | tifiers 🕑 Usage Count | | | | | |
| PubMed ID | Open Access | 🗹 Hot Paper | Highly Cited | | | | | |
| *Selecting these items will incre | ase the processing time. | | | | | | | |

• In the window below, select 1) Other Reference Software, then click the Send button.



• If you see a window asking if you want to save the file or open it, such as the example below, save the file. Make a note of the location the file is saved in, EndNote will not know the location. Note that files saved in this way from the Web of Science have the default name *savedrecs.txt*. This file can be emailed to another EndNote user as an attachment for import, if desired. It is just a plain text document.


| Opening savedrecs.txt | Х |
|--|---|
| You have chosen to open: | |
| savedrecs.txt | |
| which is: Text Document (33.4 KB) | |
| from: http://ets.webofknowledge.com | |
| What should Firefox do with this file? | |
| ○ <u>O</u> pen with Notepad (default) ~ | |
| Save File | |
| Do this <u>a</u> utomatically for files like this from now on. | |
| OK Cancel | |

4.1.2 Importing the Web of Science File on Windows

• To import the file into EndNote, in EndNote select 1) *File*, 2) *Import*, then 3) *File*.

| en e | ndNote X9 | | | | |
|------|---------------------|-------|-------------|-----|--------|
| File | | Tools | Window | Hel | р |
| | New | | | | |
| | Open Libi | | Ctrl+C |) | |
| | Open Shared Library | Ct | rtl+Shift+C |) | |
| | Open Recent | | | > | |
| | Close Library | | Ctrl+W | / | |
| | Save | | Ctrl+S | s | |
| | Save As | | | | |
| | Save a Copy | | | | |
| | Revert | | | | |
| | Share | | | | |
| | Export | | 3 | | - |
| | Import | | | | File |
| | Print | | Ctrl+F | , T | Folder |

• In the window below, 1) click the *Choose* button and select the *savedrecs.txt* file to open. You will need to know where you saved the file. Then 2) select *Other Filters* from the drop-down *Import Option* list. Note that after a filter has been used once, it will appear in the drop-down list in the future.



• In the window below select 1) the *Web of Science Core Collection* filter, then 2) click the *Choose* button.

| Choose An Import Filter | × | : |
|---|--|---|
| Name Transplant Library (OvidSP) Union Lists (OCLC) Urban Studies Abs (EBSCO) Water Resources (EBSCO) | Information Provider OvidSP | |
| Web of Science Core Collection (Clar Wildlife Ecology Studies (EBSCO) Wilson App Sci Tech (OvidSP) Wilson Art Abs (OvidSP) Wilson Art Index (OvidSP) Wilson Human Abs (OvidSP) Wilson Index Legal (OvidSP) Wilson Library Lit (OvidSP) Wilson Scient (OCL C) Quick Search | Clarivate Analytics EBSCO OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP OvidSP | |
| | 2:10:39 PM 2:10:39 PM | |
| Showing 366 of 366 import filters. | | |

Import File

Import File:

Import Option:

Text Translation:

Duplicates:

• If you think you might import duplicates of some of the references in your library, 1) choose *Discard Duplicates* from the *Duplicates* drop-down list, then 2) click the *Import* button.

savedrecs.txt

Import All

Import All

?

Choose...

×

 \sim

The references will be imported into EndNote and appear in the *Imported References* group. The

Web of Science Core Collection (Clarivate)

• The references will be imported into EndNote and appear in the *Imported References* group. The PMID will appear in the Notes field as a number.

4.1.3 Importing the Web of Science File on Macintosh

• To import the file into EndNote, in EndNote select 1) *File*, then 2) *Import*.

| File | |
|---------------------|-------------------------|
| New | |
| Open Library | жо |
| Open Shared Library | ፞ፚ ፞፝ ដ O |
| Open Recent | |
| Close Library | жw |
| Save | ЖS |
| Save As | <mark>፞</mark> |
| Save a Copy | |
| Revert | |
| Share | |
| Export 2 | |
| Import | |

• In the window below, 1) select the folder the file was saved in, 2) select the downloaded file, and 3) click the *Options* button.

| | ≡ Ш ≋ • ⊡ Dov | vnloads | | Q Se | earch |
|----------------|----------------------|-----------------|---|-------|----------|
| Favorites | Name | Date Modified | ~ | Size | Kind |
| Recents | 📄 savedrecs.txt < | Today, 10:25 AM | | 34 KB | Microsnt |
| 🛆 iCloud Drive | | 2 | | | |
| Applications | | | | | |
| 🛄 Desktop | | | | | |
| 🖺 Documents | | | | | |
| Downloads | | | | | |
| 😭 donnakirking | | | | | |
| ConeDrive | | | | | |
| Options | - 3 | | С | ancel | Import |

• In the options, select *Other Filters* from the *Import Options* drop-down list to bring up a list of import filters.

| D | nport Options: uplicates: ext Translation: | PDF File or Folder ✓ PDF Folder as a Group Set EndNote Library EndNote Import Refer/BibIX Tab Delimited Reference Manager (RIS) ISI-CE Multi-Filter (Special) EndNote Generated XML | Cancel Import |
|---|--|--|---------------|
| | \rightarrow | Other Filters Use Connection File | |

• In the window below select 1) the *Web of Science Core Collection* filter, then 2) click the *Choose* button.

| ••• | Choose A Filter |
|-----------------------------------|--|
| Q Find Name | All Filters |
| Quick Search | Find by Category |
| Showing 362 of 362 filters. | |
| Name | Information Provider |
| Union Lists (OCLC) | OCLC |
| Urban Studies Abs (EBSCO) | EBSCO |
| Water Resources (EBSCO) | EBSCO |
| Web of Science Core Collection (C | Clarivate) Clarivate Analytics |
| Wildlife Ecology Studies (EBSCO) | EBSCO |
| Wilson App Sci Tech (OvidSP) | OvidSP |
| | Choose |
| | . 2 |
| More Info | |

• If you think you might import duplicates of some of the references in your library, 1) choose *Discard Duplicates* from the *Duplicates* drop-down list, then 2) click the *Import* button.

| | | Downloads 🗘 | | Q Se | arch |
|-----------|-------------------|---|--------------------------|-------|----------|
| Favorites | Name | Date Modified | ~ | Size | Kind |
| Recents | savedrecs.txt | Today, 10:25 AM | | 34 KB | Microsnt |
| | · · · · · · | | | | |
| | | | | | |
| | Import Options: | Web of Science Core Co | llectio <mark>l 🗘</mark> | | |
| | Duplicates: | ✓ Import All | 1 | | |
| | Text Translation: | Discard Duplicates Import into Duplicates Li | brary | | |
| Options | | | | 2 | Import |

• The references will be imported into EndNote and appear in the *Imported References* group. The PMID will appear in the Notes field as a number.

4.2 PubMed

4.2.1 Saving the Data from PubMed

Direct export from PubMed will allow importing of up to 200 records at a time, while saving a text file from PubMed and then importing will allow you to import thousands of records at a time, if you wish to do so, and it will allow you to filter out duplicates during the import. The directions below use PubMed's clipboard feature, but records can also be exported directly from the search results screen. Directions for saving data from PubMed are the same for Windows or Macintosh.

- Perform your search on PubMed's web site.
- Mark the records you wish to import and 1) click the *Send to:* button, 2) choose *Clipboard* as the destination, and 3) click the *Add to Clipboard* button. This will add the selected references on the page to the clipboard. You can then go to the next page in PubMed and select more references.

| | Send to 🗸 | -1 |
|------------------|-------------------------------|----|
| Choose Destinat | on | |
| 02 | Clipboard | |
| Collections | E-mail | |
| Order | My Bibliography | |
| Citation manage | er | |
| Add 461 items. | | |
| Add to Clipboard | 3 | |
| | | |

• When finished selecting references, click the link showing the number of items in the Clipboard, to the right of the *Send to:* button. This will take you to the Clipboard.



• In the Clipboard, 1) click the *Send to:* button, 2) select *File* under *Choose Destination*, 3) select *MEDLINE* as the *Format*, and 4) click the *Create File* button. Note that if you do not select the MEDLINE format, the file will not import into EndNote correctly.

| Choose Destinatio | n |
|---|------------------|
| 🖲 File 🧹 | Ollections |
| E-mail | Order |
| My Bibliography | Citation manager |
| Download 461 items | 5. |
| Download 461 items Format MEDLINE ▼ | s. 3 |
| Format | |
| Format MEDLINE ▼ | |

• If you see a window similar to the one below, save the file and make a note of where you saved it. The default file name for files saved from PubMed is *pubmed_result.txt*. This is a plain text file and can be emailed as an attachment.

| Opening pubmed_result.txt | × | | | |
|--|---|--|--|--|
| You have chosen to open: | | | | |
| pubmed_result.txt | | | | |
| which is: Text Document | | | | |
| from: https://www.ncbi.nlm.nih.gov | | | | |
| What should Firefox do with this file? | | | | |
| O Open with Notepad (default) | | | | |
| Save File | | | | |
| Do this <u>a</u> utomatically for files like this from now on. | | | | |
| OK Cancel | | | | |

4.2.2 Importing the PubMed file on Windows

• To import the file into EndNote, in EndNote select 1) *File*, 2) *Import*, then 3) *File*.

| 💵 EndNote X9 | | |
|---------------------|------------------|--------|
| File | ools Window Help | |
| New | | |
| Open Library | Ctrl+O | |
| Open Shared Library | Ctrtl+Shift+O | |
| Open Recent | > | |
| Close Library | Ctrl+W | |
| Save | Ctrl+S | |
| Save As | | |
| Save a Copy | | |
| Revert | | |
| Share | | |
| Export | | |
| Import 🔶 2 | 3 — | File |
| Print | Ctrl+P | Folder |

• In the window below, 1) click the *Choose* button and select the *pubmed_result.txt* file. You will need to know where you saved the file. Then 2) select *Other Filters* from the drop-down list. Note that after a filter has been used once, it will appear in the drop-down list in the future.

| Import File | | ? × |
|-------------------|-------------------------|--------|
| Import File: | pubmed_result.txt | Choose |
| Import Option: | EndNote Library | |
| | PDF | |
| Duplicates: | EndNote Library | |
| Test Tree detions | EndNote Import | |
| Text Translation: | Refer/BibIX | |
| | Tab Delimited | |
| | Reference Manager (RIS) | |
| ISI-CE | | |
| | Multi-Filter (Special) | |
| | EndNote generated XML | |
| | Other Filters | 2 |
| | Use Connection File | |

• In the window below, 1) select the *PubMed (NLM)* filter, then 2) click the *Choose* button.

| Choose An Import Filter | | × |
|---|---|-----------|
| Name PSYNDEXplus Lit AV (OvidSP) PSYNDEXplus Tests (OvidSP) | Information Provider | ^ |
| PubMed (NLM) PubMed Central (NLM) OPAT | National Library of Medicine National Library of Medicine Questel | ↓ |
| Quick Search ~ | | Find by • |
| * Less Info: | 2 | Choose |


• If you think you might import duplicates of some of the references in your library, 1) choose *Discard Duplicates* from the *Duplicates* drop-down list, then 2) click the *Import* button.

| Import File | | ? × |
|-------------------|--|--------------|
| Import File: | pubmed_result.txt | Choose |
| Import Option: | PubMed (NLM) | \checkmark |
| Duplicates: | Import All Import All | ~ |
| Text Translation: | Discard Duplicates 1 Import into Duplicates Library | |
| | 2 Import | Cancel |
| | | |

• The references will be imported into EndNote and appear in the *Imported References* group. The PMID will appear in the Accession Number field.

4.2.3 Importing the PubMed File on Macintosh

• To import the file into EndNote, in EndNote select 1) *File*, then 2) *Import*.



• In the window below, 1) select the folder the file was saved in, 2) select the downloaded file, and 3) click the *Options* button.

| | 들 📖 🚟 🗸 🚺 Downloads | 0 | | Q Se | arch |
|-----------|---------------------|-------------------|---|--------|----------|
| Favorites | Name | Date Modified | ~ | Size | Kind |
| Recents | pubmed_result.txt | — — iay, 10:42 AM | | 1.6 MB | Microsnt |
| | 2 | | | | |
| | | | | | |
| - | | | | | |
| | | | | | |
| | | | | | |
| Options | - 3 | | C | ancel | Import |

• In the options, select *Other Filters* from the *Import Options* drop-down list to bring up a list of import filters.

| Import Options: Duplicates: Text Translation: Options | PDF File or Folder ✓ PDF Folder as a Group Set EndNote Library EndNote Import Refer/BibIX Tab Delimited Reference Manager (RIS) ISI-CE Multi-Filter (Special) EndNote Generated XML | Cancel Import |
|--|--|---------------|
| | Other Filters Use Connection File | |

• In the window below, 1) select the *PubMed (NLM)* filter, then 2) click the *Choose* button.

| | | Choose | A Filter | | |
|---|-----------------------------|----------------------|------------------|-----------|---|
| | Q Find Name | | All Filters | \$ | |
| | Quick Search | ٦ | Find by Category | | |
| S | Showing 362 of 362 filters. | | | | |
| | Name ^ | Information Provider | r | | 1 |
| | PsycINFO (OvidSP) | OvidSP | | | |
| | PsycTESTS (OvidSP) | OvidSP | | | |
| | PSYNDEXplus Lit AV (Ov | OvidSP | | | |
| | PSYNDEXplus Tests (Ovi | OvidSP | | | |
| | PubMed (NLM) | National Library o | of Medicine | - 1 | |
| | PubMed Central (NLM) | National Library o | of Medicine | | |
| | | | 2 | Choose | |
| | | 0 | | | |
| | More Info | | | | |

• If you think you might import duplicates of some of the references in your library, 1) choose *Discard Duplicates* from the *Duplicates* drop-down list, then 2) click the *Import* button.

| Import Option | is: PubMed (NLM) |
|----------------|--|
| Duplicates: | ✓ Import All |
| Text Translati | Discard Duplicates 1 Import into Duplicates Library |
| | |
| Options | 2 Import |

• The references will be imported into EndNote and appear in the *Imported References* group. The PMID will appear in the Accession Number field as a number.

5 EndNote Online

EndNote lets you work on your desktop, online, or on an iPad. This chapter cannot cover everything EndNote can do online, but it will show you how using plug-ins and capture features of EndNote online can help you even if you prefer to work on the desktop.

Whether you are upgrading from EndNote basic (online only, with a limited feature set) and merging that library with your desktop library, or creating an online library for the first time, you need to start by setting up EndNote Sync to keep all your references and custom groups up to date on both the desktop and online.

5.1 Set Up EndNote Sync

5.1.1 Back Up the EndNote Desktop Library

First, you should make a complete backup copy of your desktop library by saving a compressed library. Note that EndNote may ask if you want to make a backup when you begin syncing, but you can make a backup at any time using the method below.

• Select *Compressed Library* from the *File* menu in EndNote. You should see a screen like the one below. Leave the options as shown to save a complete copy of your library with all attachments.

| Compressed Library (.enlx) | × |
|---|--|
| Create Create & E-mail | With File Attachments Without File Attachments |
| All References in Library: Selected Reference(s) | Sample_Library_X9.enl |
| ○ All References in Group/Group Set: | Sample PDFs 🗸 |
| | Next Cancel |

- Click on the *Next* button to select a location to save the file. This will bring up a standard "save" dialog window.
- Select the location and click the *Save* button. It may take some time to compress and save a large library, so be patient.
- Note that although you *cannot* safely keep a working EndNote desktop library in cloud services such as Dropbox, you can keep a compressed library in the cloud for backup purposes. See section <u>7.5</u> for more information.

5.1.2 EndNote Sync

• If you have not already synced your EndNote desktop and online library references, click the *Sync* button to sync for the first time. (Note that you may be asked if you want to create a compressed library as a backup if it is the first time the library has been synced on that computer.)

Sync button for Windows:

Sync button for Macintosh:




If you already have an EndNote online or basic account, use that account's logon information, as
in the example shown below. If you do not have an EndNote online account, you can create one by
clicking the *Sign Up* button (in the box below). Click the *OK* button to start the sync. (Note: If you
have a Web of Science account, use the same logon information for your EndNote online account.
This will enable cross referencing between Web of Science and EndNote online.)

| EndNote Login | | Х |
|-------------------|---|---|
| Learn more | account makes it easy to get the latest features and keep your library in sync. | |
| Create a new End | Note Account | |
| If you don't h | ave an EndNote account or aren't sure, then click Sign Up. Sign Up | |
| | | |
| EndNote Account (| Credentials | |
| E-mail Address: | EndNote.Training@ | |
| Password: | [] | |
| rassword. | | |
| | Forgot Password | |
| | OK Cancel | |

• During the first sync, all references in both the EndNote desktop and online libraries will be copied to the other library, as well as all group information, but only custom groups will be displayed in EndNote online. So, there may be duplicates and some library clean-up necessary. After the first sync, any change made in **any** synchronized library will be reflected in **all** synchronized copies of the library. **This means if you delete references in EndNote online or EndNote on the desktop, those references will be deleted in both**.

• Group sets will not show online, but the information will be synced through online to a second desktop computer, where they will show. Because they do not show online, you may wish to use short prefixes before custom group names to ensure custom groups that belong together remain together online, as shown in the example below.



- Although it is possible to create an EndNote online account and not synchronize it to an EndNote desktop library, syncing will allow you to easily keep the same set of references in both libraries.
- After syncing an EndNote library, you can begin sharing groups to collaborate with other EndNote basic/online users (see section <u>7.3</u>) or share your entire library with other EndNote users (see section <u>7.2</u>).

5.2 Installing the Internet Explorer Plug-In


You do not need to be using Internet Explorer to install the Internet Explorer plug-in. If you prefer to use another browser, such as Google Chrome or Microsoft Edge, but want the benefits of direct export with EndNote online, or if you need to install the plug-in on several computers, use the .msi installer.

Note that the Internet Explorer plug-in will not work with the Firefox browser and is not available on the Macintosh.


• On the *Downloads* page in EndNote online, select *Download Windows MSI for mass program installation*.

| Cite While You Write™ |
|--|
| Use the EndNote plug-in to insert references, and format citations and bibliographies automatically while you write your papers in Word. This plug-in also allows you to save online references to your library in Internet Explorer for Windows. |
| Patented technology. Australia Patent 2014318392; U.S. Patents 10002116, 9588955, 9218344, 9177013, 8676780, 8566304, 8201085, 8082241, 6233581; China Patent: 201380034689.3; Japan Patent: 5992404. |
| See Installation Instructions and System Requirements. |
| Download Windows with Internet Explorer plug-in Download Windows MSI for mass program installation Download Macintosh |


- *Save* the file in a location you will remember, such as the *Downloads* folder.
- Navigate to the location you saved the file and double-click the downloaded *EndNotePlugins.msi* file to begin the installation.




• You will see a message that the installer is searching for installed applications. This message may remain for several minutes, so be patient.



• When the installer has recognized the presence of both Internet Explorer and Microsoft Word, this message will appear. Click the *Next* button to continue.



• Enter your name and company, then click the *Next* button.




• The Default server will work for most people. If you believe your school or organization requires a special server, check with your library for the server address your school or organization requires. Click the *Next* button

| 🖟 EndNote Plug-Ins Installer | - 🗆 X |
|---|--|
| EndNote | Set Server |
| Plug-ins for Microsoft Word & Internet Explorer | The EndNote Plug-Ins installer is unable to detect the server for this installation. Please select the server Default (www.myendnoteweb.com) Advanced (requires functional server URL) http://www.myendnoteweb.com/ |
| | Next > Cancel |


EN.



• You may change the destination folder the program will be installed in, if you wish, then click the *Next* button. In general, the default location is best.




Because you are using EndNote on both the desktop and online, you do not need the EndNote online Cite While You Write files. They are already contained in EndNote. From the drop-down *Cite While You Write for Microsoft Word* menu, select *Entire feature will be unavailable*. Then click the *Next* button.



• Click the *Next* button on the *Ready to Install the Application* screen below. If your operating system requires permission to continue the installation, approve the installation.

| 🕵 EndNote Plug-Ins Installer | | _ | | × |
|--|--|--------------|-------|----|
| EndNote | Ready to Install the Applic | cation | | |
| Search, insert and instantly format citations with Cite While You Write™ | Click Next to start updating your system o | or Cancel to | exit. | |
| | | Next > | Canc | el |

• When the installation has completed, click the *Finish* button. You can now begin using the EndNote online plug-in for direct export.



5.3 Using Direct Export Online

Using direct export online works just as it does on the desktop, except that you are directing the references to your online library; so the steps shown in this booklet in the sections <u>Direct Export from Web of Science</u> or <u>Direct Export from PubMed</u> apply here, as well. Installing the plug-in for Internet Explorer will also enable direct export in Microsoft Edge or Google Chrome on Windows.

5.4 Capturing Multiple References

Capture is not the same thing as direct export, and can work differently for different web sites and databases. For some sites, it may only allow you to capture a single record, while for other sites a set of records. Below are examples of differences you might see with different browsers and different databases for multiple records.

Please remember that the examples given below are only a few of the online sources Capture can be used with.

5.4.1 Installing the Capture Bookmarklet

Google Chrome, Firefox, and Safari

The steps to install the Capture bookmarklet are the same for Google Chrome and Firefox on both Windows and Macintosh, as well as Safari on Macintosh.

• On the *Downloads* page in EndNote online, locate the *Capture Reference* bookmarklet on the screen and drag it to the bookmarks bar (Chrome or Firefox) or favorites bar (Safari).

| Capture: | Capture Reference |
|---|---|
| button to yo "Bookmarks click and sel To use it, bro Reference | e Capture tool, just drag the Capture Reference our Bookmarks bar (also known as "Favorites Bar" or Toolbar"). In some browsers, you may need to right- ect "Add to Favorites" or "Bookmark This Link." owse to a page you like and click the Capture button in the Bookmarks bar. The Capture Reference open. Follow the instructions in the window. |

• A *Capture Reference* button will appear on the bookmarks bar (Chrome or Firefox) or favorites bar (Safari).

| | EndN | ote | | × |
|--------------|-----------------|-----------|----|-----------------|
| \leftarrow | \rightarrow (| 2 6 | 2 | |
| | Apps | \square | Ca | pture Reference |

Safari on iPad

If you are synchronizing bookmarks between your Mac desktop and iPad and you have installed the Capture bookmarklet on your desktop computer, you should see a *Capture Reference* button appear on the favorites bar in Safari on the iPad. In general, it will work as it does on the desktop if you are also using the EndNote iPad app, but we have seen problems using it with sites that require scrolling.

5.4.2 Capture a Set of References from PubMed

- Perform your search in PubMed.
- By default, PubMed shows 20 results per page. Click on the *Per page* drop-down arrow, shown below, to show up to 200 records per page. The Capture will be for a single page of references at a time.

| Per page: 20 - |
|----------------|
| Items per page |
| 5 |
| 0 10 |
| • 20 |
| 50 |
| 0 100 |
| 200 |

• Click the *Capture* button on the EndNote plug-in's toolbar for Internet Explorer, or the *Capture Reference* bookmarklet button in other browsers. Below are the results you should see.

Results for Capture Button in Internet Explorer

• When the capture is finished, you should see a message that multiple references have been imported into your *Unfiled* group. You can continue capturing references one page at a time. (Please note that in Internet Explorer you could also use direct export to export up to 200 references at a time to either your online or desktop library.)

Results for Capture Bookmarklet in Google Chrome or Firefox on Windows

• When you see the screen below, which may take several moments to appear, select *my.endnote.com* to import the page of references to your EndNote online library or *EndNote* to import the references to your EndNote desktop library, then click the *Capture* button.

| Go to EndNote | Close[x] |
|--|----------|
| Capture New References To: • my.endnote.com • EndNote Groups: • AI: Corvids • AI: Parrots • Bat: Chiroptera • Bat: Echolocation | |
| New Group Capture View in 简体中文 繁体中文 English Deutsch | |

EN The Little EndNote How-To Book

- If you selected *my.endnote.com*, you can also select the group to add the references to or you can create a new group for the references.
- If you selected *EndNote*, the browser will download the references as shown below.

| <u>Go to</u> | <u>EndNote</u> <u>Close[x]</u> |
|--------------|---|
| | 20 references were captured successfully. |
| | Please wait while your request is processed. |
| | Download If the "Download" process does not start automatically, click "Download" |
| | |
| | View in 简体中文 繁体中文 English Deutsch 日本語 한국어 Português Español |

• When you see the screen above, if using Chrome look in the status bar at the bottom of the screen, where you can select the option to *Open* the file.

| | Open |
|----------------------|--------------------------------|
| | Always open files of this type |
| | Show in folder |
| | Cancel |
| CaptureToDesktop.ris | ~ |

• At this point you can follow the direct export instructions found in section <u>2.3.3</u>.

5.5 Capturing a Single Reference

• The Capture button can also be used to capture information from web sites such as YouTube, Amazon.com, online newspapers, etc. When looking at a newspaper article, video in YouTube, book information in Amazon.com, or similar web sites, click the *Capture* button in Internet Explorer or the *Capture Reference* bookmarklet in other browsers to capture the information on the site. You will see an editable record such as the one below, showing the data EndNote was able to capture.

| Go t | o EndNote | | | Close[x] |
|------|------------------------------|--|-----|----------|
| | | | | ^ |
| | Capture New Reference | e | | |
| | Save To Omy.endnote | .com 🖲 EndNote | | |
| | Bibliographic Fields Optic | nal Fields | | |
| | Groups: | Add or remove | | |
| | Bibliographic Fields: | At least one of the fields must be filled out. | | - 1 |
| | Reference Type: | Journal Article | | |
| | Author: | Carly Cassella Use format Last Name, First name. Enter each name on a | new | |
| | | line. | | |
| | Title: | We Just Got More Compelling Evidence That The Moon Is Loa | | |
| | Year: | 2018 |] | |
| | Journal: | |] | |
| | Volume: | |] | |
| | Part/Supplement: | |] | |

• Select the option to save it to *my.endnote.com* to save it to your online library, with the option to save it to an existing group or create a new group, or select *EndNote* to save it to your desktop library.

| Go to EndNote | | | | Close[x] |
|------------------------------|------------------------|-----|--------------------------------|----------|
| Capture New Reference | e | | | |
| Save To My.endnote | e.com 🔍 EndNote | | | |
| Bibliographic Fields Optic | onal Fields | | | |
| Groups: | Add or remove | | | |
| Bibliographic Fields: | At least one of the fi | eld | s must be filled out. | |
| Reference Type: | Journal Article | v |] | |
| Author: | Classical Work | • | | |
| | Computer Program | | name. Enter each name on a new | |
| Title: | Canformer Denor | | Evidence That The Moon Is Loa | |
| Year: | Conference Paper | | | |
| Journal: | Conference Proceeding | | | |
| Volume: | Dataset | | | |
| Part/Supplement: | Dictionary | | | |
| | | | | |
| Issue: | Discussion Forum | | | |
| Pages: | Edited Book | | | |
| Start Page: | Electronic Article | | | |
| Errata: | Slashuaria Daalu | | | |
| Enub Datas | Electronic Book | | | • |

EN The Little EndNote How-To Book

• Edit the reference to add missing information or change the reference type, then click the *Save to* button to save the record.



Page 7

6 Cite While You Write

EndNote's Cite While You Write (CWYW) lets you look up references, insert them in your document, format your bibliography, and edit your citations to include page numbers or other text, all from within your word-processing document. Below are instructions for using Cite While You Write with Microsoft Word.

6.1 Cite While You Write in Microsoft Word on Windows

6.1.1 Installing the Cite While You Write Tools

When you install EndNote, it will automatically install files into a common program folder, allowing EndNote and Word to communicate and enabling Cite While You Write (CWYW). In Word for Windows you will see a tab on the ribbon similar to that shown below. (Note: It is best to close all other programs before installing EndNote, most especially Word and Outlook. When installing Word and EndNote on a new computer, always install Word first to enable EndNote to find it and be able to install the Cite While You Write tools.)

| File | Home | Insert | Design | Layout | References | Mailings | Review | View | Deve | loper | Help | EndN | ote X9 |
|------|------------|------------|----------|--------|--|--------------|------------|------|---------|---------------|--------------------------------------|------|--------|
| | Edit Libra | lanage Cit | ation(s) | | n ations and Bibli ations and Bibl | ography | Categorize | | s Off - | <u>Ma</u> Mai | ort to Enc nuscript N ferences | | |
| | Citatio | ns | | | E | Bibliography | | | E. | | Тоо | ls | |

Below is information on using the Cite While You Write tools you will need on a day-to-day basis.

6.1.2 Adding Citations to a Document Using Insert Citation

• Click in the top half of the *Insert Citation* button in Word to open the *Find & Insert My References* window.



• In the *Find & Insert My References* window that appears, (1) select whether you want to search your open EndNote desktop libraries or groups shared with you in EndNote online, (2) enter your search terms, and (3) click the *Find* button, or press the *Enter/Return* key, to bring up a set of references that contain those search terms. The terms can be anywhere in the EndNote record, but all the terms must be present in the same record.

| | | My References | | | | | | |
|--|---|--|---------------------|------------------|----------------------------|---------------------|--------------------|---|
| bird grey parrot | | ~ | Find | Search: | 2.0.141100 | | | |
| Author | 2 _{ear} | Title | | | Libraries Shared Groups | | | |
| Pepperberg | 2011 | Avian cognitio | on and so al in | teraction: Fifty | vears of advances | | | |
| Pepperberg | 2006 | | commun cative | , | , | | | |
| Pepperberg | 2001 | | | - | and communicative | studies of arev | parrots (Psittacus | 5 |
| Pepperberg | 2012 | | munication in t | | | , ottaa.eo e. g. e, | pairee (i eitaeaa | |
| Peron | 2011 | | | | y parrots (Psittacus | erithacus) | | |
| Schloeal | 2012 | | | | d on acoustic cues a | | | |
| The Alex Foundatio | | | | - | landmark studies of | | e dies at 31 | |
| Vick | 2010 | | 5 / 1 | - | hacus) perform on a | | | |
| Vick | 2010 | now do Ame | in grey parrots | (i sittleus cire | nacas) perform on a | ruciay or gradine | | |
| | | | | | | | | |
| < | | | | | | | | > |
| | Journal Artic | a | | | | | | |
| Reference Type: | Journal Articl 2313 | e | | | | | | > |
| Reference Type: Record Number: Author: | 2313 Pepperberg, | - | | | | | | |
| Reference Type: Record Number: Author: Year: | 2313 Pepperberg, 2011 | I. M. | | | | | | |
| Reference Type: Record Number: Author: Year: Title: | 2313 Pepperberg, 2011 Avian cogniti | I. M. on and social inter | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: | 2313 Pepperberg, 2011 Avian cogniti Interaction S | I. M. on and social inter | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: | 2313 Pepperberg, 2011 Avian cogniti | I. M. on and social inter | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: Issue: Pages: | 2313 Pepperberg, 2011 Avian cogniti Interaction S 12 2 195-207 | I. M. on and social inter tudies | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: Issue: Pages: Type of Article: | 2313 Pepperberg, 2011 Avian cogniti Interaction S 12 2 195-207 Editorial Mate | - I. M. on and social inter tudies erial | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: Issue: Pages: | 2313 Pepperberg, 2011 Avian cogniti Interaction S 12 2 195-207 Editorial Mate | - I. M. on and social inter tudies erial | raction: Fifty year | rs of advances | | | | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: Issue: Pages: Type of Article: | 2313 Pepperberg, 2011 Avian cogniti Interaction S 12 2 195-207 Editorial Mate | - I. M. on and social inter tudies erial | raction: Fifty year | rs of advances | jnsert ▼ | Cancel | Help | |
| Reference Type: Record Number: Author: Year: Title: Journal: Volume: Issue: Pages: Type of Article: | 2313 Pepperberg, 2011 Avian cogniti Interaction S 12 2 195-207 Editorial Mate | - I. M. on and social inter tudies erial | raction: Fifty year | rs of advances | jnsert • | Cancel | Help | |

Next, select (highlight) the reference(s) you want to insert. When you select a single reference, you will see the details for that reference in the bottom part of the window, but details can be shown for only a single reference. However, you can select multiple references for insertion by holding down the *Control* key and clicking on them, then selecting your insertion options from the *Insert* list.

| EndNote X9 Find | & Insert N | My References | | | | | | | X |
|---|---------------------|---------------------------|--------------------|------------------|---------------------------|-------------|-------------------|----------------|------|
| bird grey parrot | | ~ | Find | Search: | Libraries | \sim | | | |
| Author | Year | Title | | | | | | | |
| Pepperberg | 2011 | Avian cognition | and social inte | raction: Fifty | years of adva | ances | | | |
| Pepperberg | 2006 | Cognitive and o | communicative a | abilities of g | rey parrots | | | | |
| Pepperberg | 2001 | In search of Ki | ng Solomon's rir | ng: Cognitive | e and commur | nicative st | udies of grey p | arrots (Psitta | acus |
| Pepperberg | 2012 | Symbolic comn | nunication in the | e grey parro | | | | | |
| Peron | 2011 | Cooperative pro | oblem solving in | African gre | y parrots (Psit | tacus erit | hacus) | | |
| Schloegl | 2012 | Grey parrots us | se inferential rea | asoning base | ed on acoustic | cues alor | ne | | |
| The Alex Foundatio | n 2007 | Alex the Africa | n grey parrot ar | d subject of | [:] landmark stu | dies of bi | rd intelligence | dies at 31 | |
| Vick | 2010 | How do Africar | n grey parrots (F | sittacus erit | hacus) perfori | m on a de | elay of gratifica | tion task? | |
| < | | | | | | | | | |
| Reference Type: Boo Record Number: 233 Author: Pep Year: 203 | 86 operberg, Ire | ne M. | | | | | | | |
| | | unication in the gre | y parrot | | | | | | - 1 |
| | nk, Jennifer | | | | | | | | |
| | ackelford, Too | d K. dbook of Comparat | ive Evelutionany D | n vele el e en v | | | | | |
| Place Published: Ne | | | ive Evolutionary P | sychology | | | | | |
| | ord University | y Press | | | | | | | |
| Pages: 297 | 7-319 | | | | | | | | _ |
| | | | • | | Insert | • | Cancel | Help | |
| Library: Sample Lib | any V0 and | | | | Ins | ert | | | |
| lurary: Sample_LID | ary_x9.eni | | | | Inse | ert & Dis | play as: Auth | or (Year) | |
| | | | | | Inse | art & Evo | lude Author | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | Inse | ert & Exc | lude Year | | |

• Your references will be inserted in the document and instantly formatted.

6.1.3 Adding Citations to a Document Using Insert Selected Citation(s)

• To select the citations you will insert in the document, return to EndNote by clicking the *Go to EndNote* button.




- In EndNote, select (highlight) the references you want to insert. You have two choices for how you insert them in the document.
 - You can insert them in the document from EndNote using the first button of the set shown below, *Insert Citation*. (Note this is a different command than the *Insert Citation* button within Word, being the equivalent of the *Insert Selected Citation(s)* command in Word.) This will insert the references wherever your cursor is located in Word.



• If you would like to check if your cursor is in the correct location and then insert the references from within Word, in EndNote click on the third button shown in the set below, *Go to Word Processor*.



• If you returned to Word to insert the selected citations, click the bottom part of the *Insert Citation* button, then select *Insert Selected Citation(s)* from the drop-down list.



• Your references will be inserted in the document and instantly formatted.

6.1.4 Selecting the EndNote Style for Your Citations and Bibliography

• You can select your preferred style from the drop-down style list as shown below, or select the *Select Another Style* option to see the list of EndNote styles available on your computer. (Note that a typical installation of EndNote only installs a list of popular styles. You can perform a custom installation of EndNote to install more styles or download them from the <u>EndNote web site</u>. See section <u>1.2.1</u> for instructions for a custom installation of EndNote.)



• If you would like more control over the formatting of the citations and bibliography, such as the ability to change the line spacing or set hyperlinking options between the citations and bibliography, click the *small arrow in the bottom right corner of the Bibliography group* to open the *Configure Bibliography* window.

| Style: | APA 6th 👻 | 🕻 Categorize References 🔹 |
|---------|------------------------------------|-------------------------------|
| 🕞 Upa | date Citations and Bibliography | 🔢 Instant Formatting is Off 🕤 |
| Cor Cor | nvert Citations and Bibliography - | |
| | Bibliography | |

• The two tabs in the *Configure Bibliography* window provide options for changing the style, adding, removing, or formatting hyperlinks between citations and their matches in the bibliography, adding a centered title above the bibliography, changing the font used for the bibliography, and more. Select your options, then click the *OK* button to make your changes. Changing these options using Word commands would not create permanent changes; you must use the *Configure Bibliography* command to permanently change options such as font or line spacing in the bibliography.

| EndNote X9 Configu | ire Bibliography X |
|---------------------|--|
| Format Bibliography | Layout |
| Format document: | Example.docx ~ |
| With output style: | APA 6th \checkmark Browse |
| Temporary citation | delimiters |
| Left: { | Right: } |
| | tions to references in the bibliography inked in-text citations |
| | |
| | OK Cancel Help |

| ndNote X9 Conf | igure Bibliogi | raphy | > |
|--|---------------------------|--------------------|----------------|
| Format Bibliograp | ny Layout | | |
| Font: | | | Size: |
| Calibri | | | ~ <u>11</u> ~ |
| Bibliography title: | | | |
| References | | | Text Format |
| | | | |
| Start with bibliog | raphy number: | 1 | |
| Start with bibliog First line indent: | raphy number: 0.000 in | 1 Line spacing: | Single v |
| | | | Single ~ |
| First line indent: | 0.000 in | Line spacing: | None ~ None |
| First line indent: | 0.000 in | Line spacing: | None ~ |

6.1.5 Editing Citations in the Document

If you try to edit citations in a document by simply typing the page numbers into a citation or removing an author's name from a citation, the change will only be temporary and will disappear with the next update of the bibliography. Worse than that, you risk corrupting the citation codes, which would prevent EndNote from updating them and could cause other problems in your document. The safe way to make changes to the citations is using the *Edit & Manage Citation(s)* command.

• Click on the citation you want to change, then click the Edit & Manage Citation(s) button.

Edit & Manage Citation(s)

EN The Little EndNote How-To Book

• In the *Edit & Manage Citation(s)* window there are two tabs in the lower part of the window. The first tab, *Edit Citation* (shown below), contains fields where you can add prefix or suffix text to a citation, as well as page numbers for those styles that require them. There is also a drop-down *Formatting* list that provides options to put the author's name before the citation, exclude an author's name, exclude the year, or show the reference only in the bibliography. (Note: If you are using a style where page numbers entered in the Pages field do not show, enter page numbers in the Suffix field, which will always show.)

| EndNote X9 Edit & Manage Citatio | ons | | × |
|---|-----------|---|------------------|
| Citation | Count | Library | |
| (Laudato, 2010; Pepperberg, 1999) | | | |
| 📄 🖶 Laudato, 2010 #2334 | 1 | Sample_Library_X9 | Edit Reference 💌 |
| 👚 🖶 Pepperberg, 1999 #2298 | 1 | Sample_Library_X9 | Edit Reference 💌 |
| (Bird & Emery, 2009; Holzhaider et al., | 2011; von | Bayern, Heathcote, Rutz, & Kacelnik, 2009 |) |
| 🚹 🖶 Bird, 2009 #2318 | 1 | Sample_Library_X9 | Edit Reference 💌 |
| 🚹 🖶 Holzhaider, 2011 #2314 | 1 | Sample_Library_X9 | Edit Reference 💌 |
| 👚 手 von Bayern, 2009 #2316 | 1 | Sample_Library_X9 | Edit Reference 💌 |
| | | | |
| Edit Citation Reference | | | |
| Formatting: Default | ~ | | |
| Prefix: | | | |
| Suffix: | | | |
| | | | |
| Pages: | | | |
| | | | _ |
| <u>⊺</u> ools ▼ | | OK Cancel | Help |
| Totals: 2 Citation Groups, 5 Citations, 5 | Reference | 5 | .: |

• The second tab, *Reference*, shows the details for the selected (highlighted) reference in the top half of the window.

| EndNote X9 Edit & Manage Citati | ons | | × |
|---|-------------|---|------------------|
| Citation | Count | Library | |
| (Laudato, 2010; Pepperberg, 1999) | | | |
| 🚹 💶 Laudato, 2010 #2334 | | Sample_Library_X9 | Edit Reference 💌 |
| 👚 💵 Pepperberg, 1999 #2298 | 1 | Sample_Library_X9 | Edit Reference - |
| (Bird & Emery, 2009; Holzhaider et al., | , 2011; von | Bayern, Heathcote, Rutz, & Kacelnik, 2009 |)) |
| 🚹 🖶 Bird, 2009 #2318 | 1 | Sample_Library_X9 | Edit Reference - |
| 🚹 手 Holzhaider, 2011 #2314 | 1 | Sample_Library_X9 | Edit Reference - |
| 🛧 🕔 von Bayern, 2009 #2316 | 1 | Sample_Library_X9 | Edit Reference - |
| | | | |
| Edit Citation Reference | | | |
| Reference Type: Online Multimedia Record Number: 2334 Created By: Laudato, Anthony Year: 2010 Title: Bird grooves to the bea Series Title: CBS Sunday Morning Distributor: CBS Date Accessed: March 15, 2013 Type of Work: Online Video Format/Length: 4:49 Keywords: avian intelligence dance cockatoo language URL: | | ttch/?id=6554351n&tag=contentMain;contentBd | эdy |
| <u>I</u> ools ▼ | | OK Cancel | Help |
| Totals: 2 Citation Groups, 5 Citations, 5 | Reference | s | |

• Along with being able to add text to citations, you can also use the *Edit Reference* drop-down list for each reference to add new citations to the grouped citation with the *Insert Citation* command, or safely remove citations from a grouped citation with the *Remove Citation* command. This is the safest way to remove citations from a document because it safely removes all the hidden coding. If the coding is not completely removed, it can result in a corrupted citation.

| EndNote X9 Edit & Manage Citatio | ons | | × |
|---|-----------|--|------------------------|
| Citation | Count | Library | |
| (Laudato, 2010; Pepperberg, 1999) | | | |
| 🚹 💵 Laudato, 2010 #2334 | | Sample_Library_X9 | Edit Reference 💌 |
| 👚 💽 Pepperberg, 1999 #2298 | 1 | Sample_Library_X9 | Edit Library Reference |
| (Bird & Emery, 2009; Holzhaider et al., | 2011; von | Bayern, Heathcote, Rutz, & Kacelnik, 2009) | Find Reference Updates |
| 🚹 📕 Bird, 2009 #2318 | 1 | Sample_Library_X9 | Remove Citation |
| ▲ Holzhaider, 2011 #2314 | 1 | Sample_Library_X9 | Insert Citation |
| von Bayern, 2009 #2316 | 1 | Sample_Library_X9 | Update from My Library |
| | | | |
| Edit Citation Reference | | | |
| Formatting: Default | ~ |] | , |
| Prefix: | | | |
| Suffix: | | | |
| Pages: | | | |
| <u>⊥</u> ools ▼ | | OK Cancel | Help |
| Totals: 2 Citation Groups, 5 Citations, 5 | Reference | s | |

6.2 Cite While You Write in Microsoft Word 2016 on Macintosh

6.2.1 Installing the Cite While You Write Tools

When you install EndNote X7.5 or later it will automatically install files allowing EndNote and Word 2016 to communicate and enabling Cite While You Write (CWYW). In Word 2016 you will see a tab on the ribbon, similar to that shown below.

| Home | Insert | Design | Layout | Reference | es Mailir | ngs | Review | View | EndNote 3 | <mark>(9</mark> | |
|--------------------|--------------|---------------|-----------|-----------------|-----------------|------|---------|--------------|------------|--------------------|------|
| 1 20 - | EN Go to End | Note | Style: | | Annotated | * | Cated | gorize Refer | ences • | Tools • | 0 |
| | 🕎 Edit & Ma | nage Citation | s) 📑 Up | odate Citation | s and Bibliogra | aphy | | | | Manuscript Matcher | |
| Insert Citation | Edit Libra | ry Reference(| s) 📑 🕞 Co | onfigure Biblio | graphy | | 🔝 Insta | nt Formattir | ig is On ▼ | Preferences | Help |

Below is information on using the Cite While You Write tools you will need on a day-to-day basis.

6.2.2 Adding Citations to a Document Using Insert Citation

• Click the *Insert Citation* button on the EndNote tab in Word to open the *Find & Insert My References* window.



• In the *Find & Insert My References* window that appears, (1) select whether you want to search your open EndNote desktop libraries or groups shared with you in EndNote online, (2) enter your search terms, and (3) press the *Return* key on your keyboard, to bring up a set of references that contain those search terms. The terms can be anywhere in the EndNote record, but all the terms must be present in the same record.

| $\bigcirc \bigcirc \bigcirc$ | EndNote X9 Find & Insert My Referenc | es |
|--|--|-------------------------------------|
| Find Citation: C bird gro | ey parrot 🛛 😵 | Search ✓ Libraries Shared Groups |
| Pepperberg 2011 | Avian cognition and social interaction | n: Fifty years of Dances |
| Pepperberg 2006 | Cognitive and communicative abilitie | es of grey parrots |
| Pepperberg 2001 | In search of King Solomon's ring: Co | gnitive and communicative st |
| Pepperberg 2012 | Symbolic communication in the grey | parrot |
| Peron 2011 | Cooperative problem solving in Afric | an grey parrots (Psittacus erit |
| Schloegl 2012 | Grey parrots use inferential reasonin | g based on acoustic cues alone |
| The Alex Found 2007 | Alex the African grey parrot and subj | ject of landmark studies of bir |
| Vick 2010 | How do African grey parrots (Psittac | us erithacus) perform on a de |
| Reference Type: Journa Record Number: 2313 Author: Pepperberg, I. I Year: 2011 Title: Avian cognition an Journal: Interaction Stu Volume: 12 Issue: 2 Pages: 195–207 Type of Article: Editori: Alternate Journal: Inter ISSN: 1572–0373 | 1. nd social interaction: Fifty years of advand dies A Material | ces |
| ? | | Cancel Insert + |
| Library: Sample_Library_X8.er | 1 | 8 items in list |


• Next, select (highlight) the reference(s) you want to insert. When you select a single reference, you will see the details for that reference in the bottom part of the window, but details can be shown for only a single reference. However, you can select multiple references for insertion by holding down the *Command* key and clicking on them, then selecting your insertion options from the *Insert* list.

| \bigcirc | | EndNote X9 Find & I | nsert My References | 6 | | |
|-------------------------------------|--|---------------------|------------------------|--------------|-----------------------------|-----|
| Find Citation: | ् bird grey | parrot | \otimes | Search: | Libraries ᅌ | |
| Author | ^ Year | Title | | | | |
| Pepperberg | 2011 | Avian cognition an | d social interaction: | Fifty years | s of advances | |
| Pepperberg | 2006 | Cognitive and com | nmunicative abilities | of grey pa | rrots | |
| Pepperberg | 2001 | In search of King S | Solomon's ring: Cogr | nitive and o | communicative st | |
| Pepperberg | 2012 | Symbolic commun | nication in the grey p | arrot | | |
| Peron | 2011 | | em solving in Africar | • • • | | |
| Schloegl | 2012 | | nferential reasoning | | | |
| The Alex Found. | | • | rey parrot and subje | | | |
| Vick | 2010 | How do African gr | ey parrots (Psittacus | erithacus | s) perform on a de | |
| Editor: Vonk, Je Shackelford, To | ennifer odd K. e Oxford Ha d: New Yor ord Univers | | | ychology | | |
| ? | | | | Cance | Insert | |
| _ibrary: Sample_Lib | rary_X8.enl | | | | Insert & Display as: Author | (Ye |
| | | | | | Insert & Exclude Author | |
| | | | | | Insert & Exclude Year | |
| | | | | | Insert in Bibliography Only | |

• Your references will be inserted in the document and instantly formatted.

6.2.3 Adding Citations to a Document Using Insert Selected Citation(s)

• To select the citations you will insert in the document, return to EndNote by clicking the *Go to EndNote* button.



- In EndNote, select (highlight) the references you want to insert. You have two choices for how you insert them in the document.
 - You can insert them in the document from EndNote using the first button of the set shown below, *Insert Citation*. (Note this is a different command than the *Insert Citation* button within Word, being the equivalent of the *Insert Selected Citation(s)* command in Word.) This will insert the references wherever your cursor is located in Word.



• If you would like to check if your cursor is in the correct location and then insert the references from within Word, in EndNote click on the third button shown in the set below, *Return to Word Processor*.




• If you returned to Word to insert the selected citations, click the down arrow on the *Insert Citation* button, then select *Insert Selected Citation(s)* from the drop-down list.



• Your references will be inserted in the document and instantly formatted.

6.2.4 Selecting the EndNote Style for Your Citations and Bibliography

• You can select your preferred style from the drop-down style list as shown below, or select the *Select Another Style* option to see the list of EndNote styles available on your computer. (Note that a typical installation of EndNote only installs a list of popular styles. You can use the *Customizer* under the *EndNote* menu to install more styles or download them from the <u>EndNote web site</u>.)



• If you would like more control over the formatting of the citations and bibliography, such as the ability to change the line spacing or set hyperlinking options between the citations and bibliography, click the *Configure Bibliography* button to open the *Configure Bibliography* window.



• The two tabs in the *Configure Bibliography* window provide options for changing the style, adding, removing, or formatting hyperlinks between citations and their matches in the bibliography, adding a centered title above the bibliography, changing the font used for the bibliography, and more. Select your options, then click the *OK* button to make your changes. Changing these options using Word commands would not cause permanent changes; you must use the *Configure Bibliography* command to permanently change options such as font or line spacing in the bibliography. (Note: it is best **not to mark the box to Link in-text citations to references in the bibliography** until you have finished editing the document. If you mark this box, whenever you try to select a citation, EndNote will jump to the bibliography.)

| | EndNote X9 Configure Bibliography | r | EndNote X9 | Configure Bibliography |
|----------------------|---|--|--|---|
| | Format Bibliography Layout | | Format Bi | bliography Layout |
| F | Ormale Word do av | | Font: Calibri | Size: 11 |
| Format document: | Sample_Word.docx | | - | |
| With output style: | APA 6th | Browse | Bibliography title: | |
| | | and the second sec | References | |
| Temporary citation d | elimiters | | | Text Form |
| Left: { | Right: } | | | |
| | | | | |
| | | | Start with bibliography number: | 1 |
| | ions to references in the bibliography | / | Start with bibliography number: | 1 |
| Link in-text citat | ions to references in the bibliography red in-text citations | / | Start with bibliography number: First line indent: 0.000 in | 1 Line spacing: Single |
| Link in-text citat | | / | | |
| Link in-text citat | | , , | First line indent: 0.000 in | Line spacing: Single |
| Link in-text citat | | / | First line indent: 0.000 in | Line spacing: Single Space after: ✓ None |

6.2.5 Editing Citations in the Document

If you try to edit citations in a document by simply typing the page numbers into a citation or removing an author's name from a citation, the change will only be temporary and will disappear with the next update of the bibliography. Worse than that, you risk corrupting the citation codes, which would prevent EndNote from updating them and could cause other problems in your document. The safest way to make changes to the citations is using the *Edit & Manage Citation(s)* command.

• Click on the citation you want to change, then click the *Edit & Manage Citation(s)* button.



• In the *Edit & Manage Citation(s)* window there are two tabs in the lower part of the window. The first tab, *Edit Citation* (shown below), contains fields where you can add prefix or suffix text to a citation, as well as page numbers for those styles that require them. There is also a drop-down *Format* list that provides options to put the author's name before the citation, exclude an author's name, exclude the year, or show the reference only in the bibliography. (Note: If you are using a style where page numbers entered in the Pages field do not show, enter page numbers in the Suffix field, which will always show.)

| 000 | EndNote | X9 Edit | & Manage Citations | | |
|---------------|-----------------------------------|-----------|---------------------|--|------------|
| Citation | ^ | Count | Library | | |
| ▼(Laudato, 2 | 2010; Pepperberg, 1 999) | | | | |
| + | Laudato, 2010 #2334 | 1 | Sample_Library_X8 | | *~ |
| • | Pepperberg, 1999 #2298 | 1 | Sample_Library_X8 | | * ~ |
| ▼(Bird & Em | ery, 2009; Holzhaider et al. | , 2011; \ | on Bayern, Heathcot | e, Rutz, <mark>& K</mark> acelnik, | 2009) |
| • • | Bird, 2009 #2318 | 1 | Sample_Library_X8 | | * ~ |
| • • | Holzhaider, 2011 #2314 | 1 | Sample_Library_X8 | | * ~ |
| • | von Bayern, 2009 #2316 | 1 | Sample_Library_X8 | | *~ |
| | | | | | |
| | | | • | | |
| | Edit | Citatio | Reference | | |
| | Defen la | | | | |
| Format: | Default | \$ | | | |
| Prefix: | | | | | |
| | | | | | |
| Suffix: | | | | | |
| Deces | | | | | |
| Pages: | | | | | |
| | _ | | | | |
| ? (* | | | | Cancel | ОК |
| Totals: 2 Cit | ation Groups, 5 Citations, 5 Refe | erences | | | |

• The second tab, *Reference*, shows the details for the selected (highlighted) reference in the top half of the window.

| | EndNote | X9 Edit | & Manage Citations | ; | |
|--|---|-----------|---------------------|---------------------|------------|
| Citation | ^ | Count | Library | | |
| ▼(Laudato, : | 2010; Pepperberg, 1999) | | | | |
| 🔸 🔂 | Laudato, 2010 #2334 | 1 | Sample_Library_X8 | 3 | * ~ |
| • • | Pepperberg, 1999 #2298 | 1 | Sample_Library_X8 | 3 | * ~ |
| 🔻 (Bird & Em | ery, 2009; Holzhaider et al. | , 2011; י | von Bayern, Heathco | ote, Rutz, & Kacelı | nik, 2009) |
| • • | Bird, 2009 #2318 | 1 | Sample_Library_X8 | 3 | * ~ |
| •• | Holzhaider, 2011 #2314 | 1 | Sample_Library_X8 | 3 | * ~ |
| + 🔶 | von Bayern, 2009 #2316 | 1 | Sample_Library_X8 | 3 | * ~ |
| Record Created Year: 20 Title: Bi Series E Series T Distribu | tee Type: Online Multimee Number: 2334 I By: Laudato, Anthony 010 rd grooves to the beat cititor: Small, David Fitle: CBS Sunday Morning utor: CBS | | n Reference | | |
| ? 🌣 | | | | Cancel | OK |
| Totals: 2 Cit | ation Groups, 5 Citations, 5 Ref | erences | | | |

• Along with being able to add text, remove the author name, or remove the year, you can also use the drop-down list for each reference to add new citations to a grouped citation with the *Insert Citation* command, or safely remove citations from a grouped citation with the *Remove Citation* command. This is the safest way to remove citations from a document because it safely removes all the hidden coding. If the coding is not completely removed, it can result in a corrupted citation.

| \circ \circ \bullet | EndNote > | <9 Edit | & Manage Citations | |
|--|--|---------|---|------------------------|
| Citation | ^ | Count | Library | |
| ▼(Laudato, 2 | 2010; Pepperberg, 1999) | | | |
| 🔸 🔂 | Laudato, 2010 #2334 | 1 | Sample_Library_X8 | * ~ |
| + + | Pepperberg, 1999 #2298 | 1 | Sample_Library_X8 | Edit Library Reference |
| ▼(Bird & Em | nery, 2009; Holzhaider et al., | 2011; \ | on Bayern, Heathcote, Rutz, & Kacelnik, 200 | Remove Citation |
| • | Bird, 2009 #2318 | 1 | Sample_Library_X8 | Update From My Library |
| • | Holzhaider, 2011 #2314 | 1 | Sample_Library_X8 | ₩ ~ |
| + | von Bayern, 2009 #2316 | 1 | Sample_Library_X8 | ☆ ~ |
| Record Created Year: 20 Title: Bi Series E Series T | nce Type: Online Multimedi Number: 2334 I By: Laudato, Anthony | a | n Reference | |
| | | | Cancel | |
| Totals: 2 Cit | ation Groups, 5 Citations, 5 Refe | rences | | |

7 Collaboration: Sharing EndNote References

An EndNote library is not a single file. It is a set of files, many of them frequently updated as you work, and these files must be updated in a strict sequence by EndNote to avoid corruption of the library. This can cause difficulties when sharing libraries because only EndNote can properly control the sequence for updating and saving of data in the library, and outside synchronization or file management services can actually damage EndNote libraries. This section covers some of the methods to avoid, and then talks about safer methods of sharing references or complete libraries.

7.1 How Not to Share an EndNote Library

7.1.1 EndNote Libraries on "Cloud" Services

Never store an EndNote working library on any cloud service for sharing, or even just for your own use on multiple computers. This will eventually lead to library corruption because of the way the cloud services synchronize files over the Internet. Such unusable cloud services would include, but are not limited to—

- iCloud
- Amazon Cloud
- Box
- Dropbox
- Google Drive
- SharePoint
- OneDrive
- SugarSync

Also, never store a working library on a flash drive.

The reason these methods are inadvisable is that when you are working in EndNote, it is saving data to multiple files, and the data must be saved in a set sequence, as described above. When cloud services transfer that data, they may change the sequence of file saves. This eventually leads to library corruption. The library may appear to be fine for days, weeks, or even months, but will eventually be corrupted.

7.1.2 EndNote Libraries in "Optimized" iCloud Storage

With Mac OS X 10.12 (Sierra), Apple added options to "optimize" storage space on Apple computers by storing data in iCloud automatically and removing some of that data from the local hard drive. If you choose the option to "Store in iCloud" as described in Apple support article <u>https://support.apple.com/en-us/ht206996</u>, even libraries stored in your Documents folder will be kept in iCloud. This puts EndNote libraries in your documents folder at risk of corruption.


7.1.3 EndNote Libraries on Network Servers

EndNote libraries with read-write access should not be stored on network drives. We have seen corruption problems with libraries on network drives as well as general performance issues. Ideally, the library should be kept on the owner's computer. If you must keep a library with read-write access on a network drive, we suggest you make frequent backups of the library using the *File* \rightarrow *Compressed Library* command for libraries smaller than 5G or the *File* \rightarrow *Save A Copy* command for larger libraries.

If your company requires you to save data to a network drive, talk to your IT department about saving your EndNote libraries on your computer's hard drive instead. You can refer them to this chapter, or to the *EndNote Library Safety* section on the <u>For Administrators</u> page of the <u>EndNote LibGuide</u>.

7.1.4 Sending the .enl File for a Library When Sharing a Library

Every EndNote library is made up of two parts: the .enl file and the .data folder, as seen below.



It may be helpful to think of the .enl file as just the interface file for working with the contents of the .data folder, where all the real data is kept. When you open a .enl file, EndNote searches for the matching .data folder and refreshes the screen with the latest information in a sort of "snapshot." If the .data folder is removed, EndNote will create a new one with data to match the last "snapshot" because it must have a .data folder to work. However, that new .data folder would not contain any of the attachments, group structure, or term lists from the original library; it would contain only the reference data. If you send somebody the .enl file only, they will receive only a portion of the library.

So how can you share EndNote references safely?

7.2 Sharing Full EndNote Libraries

EndNote X7.2 introduced two much-requested features to EndNote:

- 1. Unlimited attachment space in EndNote online.
- 2. Full library sharing for up to fifteen people, including the library owner. This was expanded to up to 101 people, including the owner, in EndNote X8.

7.2.1 Unlimited Attachment Space in EndNote Online

EndNote X8 or X9 users can store an unlimited number of files, of any type, in EndNote online — PDFs, Word documents, PowerPoint presentations, even audio or video files — and through EndNote online those attachments can sync with up to three computers per user (for a single-user license of EndNote, site licenses may have restrictions on outside installations of the software).

Please note that EndNote basic users will still be limited to 2 gigabytes of attachment space.

7.2.2 Full Library Sharing

The Basics

Prior to EndNote X7.2, there was no way for users to share simultaneous access to a complete EndNote library with full read-write permissions and attachments. Full libraries could be shared on a network server with *read-only access* for simultaneous use, but only the owner could make changes (and those changes must be made on the owner's computer, with a *read-only copy* put on the network), or groups could be shared through EndNote online, but without attachment sharing. Plus, to share a group online requires the sharer to know the email address for the "sharee's"¹ EndNote online account. Users of EndNote X7.2 or later can share their library, with simultaneous access to all references and attachments, with other users of EndNote X7.2 or later. The basic requirements and information for sharing are—

- All users must be using EndNote X7.2 or later. If using EndNote X7, users must have first synchronized their desktop and online libraries before January 1, 2018.
- EndNote X8 or X9 users can share a library with up to 100 people; EndNote X7 users can share a library with up to fourteen other people.
- All users must sync their EndNote desktop and online libraries. The sharing process works through EndNote Sync.
- A library owner can sync only one EndNote library, so only one library can be shared with others or synced to the owner's other computers or iPad.
- Although a library owner is limited in how many users they can share a library with, an unlimited number of libraries can be shared with a sharee.
- Because all references and groups are synced to all recipients, with attachments, the library will take up as much space on the recipient's computer as it does on the owner's computer and can be used off-line. However, the library can only be accessed through the *File*→*Open Shared Library* command in EndNote.
- With EndNote X8, sharees have full access to the library. This means they can add, change, or delete references and attachments. With EndNote X9, the library owner can restrict access to read-only or permit full read-write access individually. We suggest the owner make frequent backups of their library using the *File*→*Compressed Library* command under any circumstances, but especially if they are sharing their library with read-write permissions.

¹ The word "sharee" will be used throughout this section to designate the person a library is shared with.

How to Share a Library

• If you have not already synced your EndNote desktop and online libraries, click the *Sync* button to sync for the first time. (Note that you may be asked if you want to create a compressed library as a backup if it is the first time the library has been synced on that computer. We strongly suggest making a backup before the first sync. See section <u>5.1</u> for more details on syncing an EndNote library for the first time.)

Sync button for Windows:



54

2+

Sync button for Macintosh:



In your synced library, click the *Share Library* button.

Share Library button for Windows:

Share Library button for Macintosh:

• Enter the email address of the person you want to invite to the shared library, then click the *Invite* button. The email address does not need to be the one the invitee/sharee uses for their EndNote online account. Note the option to set either *Read & Write* or *Ready Only* permissions for each person you share the library with.

| 🔊 Sharing | | | × |
|--|--------------------------|------------------|--------|
| Find People | | | |
| Sharing with EndNote Ubiquitous | Permission Read Only | Status Member | \$ |
| Invite More People Enter email addresses separated l endnote.anywhere@icloud.com | by commas | | |
| Permission: Read & Write Read & Write Add a messa Read Only | ×. | | |
| Here is an invitation to share my EndNote Training | EndNote library. | | |
| | | | Invite |
| | | | Close |
| ou are sharing your library with 1 | people out of a possible | e 100. | |

• The invitee's name will be added to the list at the top of the dialog with a *Pending* status to show they have not yet accepted the invitation. If you want to send a reminder of the invitation or remove them from the list, you can do that at any time. You can also change the permissions status of any member of the sharing group at any time.

| N Sharing | | | × |
|---|---|-----------------------------|-----------------------------|
| Find People | | | |
| Sharing with EndNote Ubiquitous endnote.anywhere@icloud.com | Permission Read Only Read & Write | Status Member Pending | * |
| | | | Remove |
| | | | Remind |
| | | | Read Only ✓ Read & Write |
| Enter email addresses separated by com | nmas | | |
| Add a message: (optional) | | | |
| | | | Invite |
| ou are sharing your library with 2 peop | nle out of a nossible | 100 | Close |

EN The Little EndNote How-To Book

- The invitee will receive an email inviting them to the shared library. They must click the *Accept* button in the email to accept the invitation.
- The invitee will be directed to the page below, where they must logon to the EndNote online account they sync through. If they do not have an EndNote online account, they can create one here.

| To accept this invitation, sign in using the same credentials you use when accessing EndNote online or syncing your desktop library, or create a new account. To access this shared library you must have EndNote X7.2 or later installed. | | | | | |
|--|--------------|-----------------------------|--|--|--|
| Sign In with your EndNote accou | int | Create an EndNote account 🖸 | | | |
| Email | First Name * | | | | |
| | | | | | |
| Password | | Last Name * | | | |
| | | | | | |
| Accept | | Email * | | | |
| Forgot your EndNote password? | OR | | | | |

- The invitee will receive a notification that they are ready to access the shared library, with information on which versions of EndNote they must be using to open the shared library.
- To open a library that has been shared with you in EndNote, select *File* \rightarrow *Open Shared Library*.

| EN E | 🔊 EndNote X9 | | | | | | |
|------|--------------------------|------------------|--|--|--|--|--|
| File | Edit References Groups T | ools Window Help | | | | | |
| | New | | | | | | |
| | Open Library Ctrl+O | | | | | | |
| | Open Shared Library | Ctrtl+Shift+O | | | | | |
| | Open Recent | > | | | | | |

• You will see a list of all the libraries that have been shared with you. Select the shared library you want to open and click the *Open* button.

| Select a Shared Library | |
|-----------------------------|-------------|
| Owner | ^ |
| endnote.anywhere@icloud.com | |
| | |
| | |
| | |
| | Open Cancel |
| | Open Cancer |

N The Little EndNote How-To Book

• The library will open, looking much like any other EndNote library. Note, however, that the name of the library will show the EndNote online account name of the owner and the *Share Library* button will be unavailable. You cannot share a library that you do not own with others, only the owner of a library can share it.

| endnote.anywhere@icloud.co | om | | | | | | |
|-----------------------------|------|-----|---------------------------|--------|---|---------------------------|---|
| 🚺 🔇 🚫 APA 6th | | | • 🖻 🗐 🛇 | 21 | 2 & @ 🖻 💴 🗟 🖉 🖉 | े 🖓 🔹 🕐 Quick Search | Q ▼ |
| My Library | | S | earch Options + | | Search Whole Library | Match Case Match Words | Reference Preview 📅 Bird-2009-Insightful prot. 🖉 4 🕨 🔻 |
| All References | (82) | _ | | | | | |
| Duplicate References | (82) | | Author | | Contains | + - 0 | Reference Type: Journal Article 🔹 🧍 😴 👻 |
| Sync Status | | • 6 | 2 Author | Year | Title | Journal | Rating |
| S Recently Added | (82) | 0 6 | Bird, C. D.; Emery, N. J | 2009 | Insightful problem solving and creative tool | . Proceedings of the Nati | ** • • • |
| Unfiled | (02) | 0 | Bolkvadze, Tamuna; R. | | Epileptogenesis after traumatic brain injury i | | Author |
| | | 06 | | | Sequence conservation, phylogenetic relatio. | | Bird, C. D. |
| 🔟 Trash | (0) | 06 | Chargin, Amanda; Yin. | . 2015 | Identification and Characterization of HIV-1 | Journal of Clinical Micro | Emery, N. J. |
| =- Sushi | | | Dupouy-Camet, J.; To. | . 2016 | Incidence of anisakidosis in France. Retrospe | . Bulletin Epidemiologiqu | Year |
| 👤 All Sushi | (82) | 06 | Englund, Emelie; Reit | 2015 | The human complement inhibitor Sushi Do | Bmc Cancer | 2009 |
| Sook Sections | (1) | 06 | Fæste, Christiane Kru | 2014 | Detection of Proteins from the Fish Parasite | . Food Analytical Methods | Title |
| Books | | | Fresia, F. | 2015 | Inspired by the world of luxury | Food Service Europe an | Insightful problem solving and creative tool modification by captive nontool-using rooks |
| | (1) | 06 | | | SRPX2 promotes cell migration and invasion | | |
| 🗱 Data Sets | (31) | 0 6 | | | Endometrial stem/progenitor cells: the first | | Journal |
| 🗱 Journal Articles | (46) | 0 | Giusti, Alice; Castiglie. | | A Conventional Multiplex PCR Assay for the | 2 | Proceedings of the National Academy of Sciences of the United States of America |
| 🕥 Other Sushi Reference. | (1) | 06 | | | Selective expression of sense and antisense | | Volume |
| 🗱 Patents | (2) | | Hoel, Sunniva; Mehli, | | Assessment of Microbiological Quality of Re | | 106 |
| 🔆 Sushi: 2015 | (64) | 00 | | | Food allergy preceded by contact urticaria d | | |
| Sushi: 2016 | (14) | | | | Cognitive Function Related to the Sirh11/Zc Is the Quality of Sushi Ruined by Freezing R | | Part/Supplement |
| Sushi: 2016 | (14) | 0 | Jenny, Lorenz; Lin, Zh. | | The B-subunit of coagulation factor XIII doe | | Issue |
| My Groups | | 0 6 | | | IL-15 superagonist/IL-15R alpha Sushi-Fc fus. | | 25 |
| 👤 Sushi Domains | (7) | 0 6 | | | Development and validation of a numerical | 5 | |
| 👤 Sushi-Math | (1) | 0 6 | | 2015 | Neutral Higgs production at proton colliders | | Pages 10370-5 |
| | | 0 | Lindell, C. | 2015 | Experience Mariano's | Candy Industry | |
| Find Full Text | | < | | 2010 | |) > | Start Page |
| howing 82 of 82 references. | | | | | | | Layout 👻 |

• The next time the owner of the library looks at the list of people she has shared the library with, she will see you named as a Member of the group sharing the library instead of as Pending.

7.3 Share Groups in EndNote Online

If you do not want to share attachments, need to share references with people using older versions of EndNote or EndNote basic, or need to share with more than 100 others, you can share groups through EndNote online.

With this method of sharing references, the owner of the references puts them in a shared EndNote online group. This method allows large numbers of users to be given access to the same set of references for collaborative work. At the same time, if groups are created for specific projects, it also allows the owner to limit shared access to only the references for a project instead of the entire library.

Please note the following restrictions.

- This method allows sharing of the EndNote desktop/online record data, but does not allow sharing of attachments, even within your own organization. However, you can share links to documents stored online. So, if you have a copy of a document in a SharePoint or DropBox folder, you can share a link to the external copy of the document using the URL field.
- Groups can only be shared with other EndNote online or basic users, and you will need to know the email addresses used as account names by such users to share references with them.

Note: Screenshots below show Windows examples, but the features will work the same way on Macintosh.

Please see section <u>5</u> for information on setting up your EndNote online library if you have not done so already.

7.3.2 Share Your Group in EndNote Online

• Select *Manage My Groups* on the *Organize* tab in EndNote online to see a screen like that below.

| EndN | lote TM My Refere | ences Collect | : O | organize | Format | : Match | Options I |
|------|------------------------------|-------------------------|-----|----------|------------|----------------|-------------|
| | | | N | lanage M | y Groups | Others' Groups | Find Duplic |
| Ma | nage My Groups | | | | | | |
| | My Groups ∎ | Number of References | Sha | re | | | |
| | Chiroptera | 22 | | Manag | ge Sharing | Rename | Delete |
| | A Corvids | 19 | | Manag | ge Sharing | Rename | Delete |
| | Echolocation | 6 | | Manag | ge Sharing | Rename | Delete |
| | Parrots | 24 | | Manag | ge Sharing | Rename | Delete |
| | New group | | | | | | |

- Mark the *Share* box for the group you want to share, as shown above. You will see an icon with two people appear to the left of any shared group.
- Click the *Manage Sharing* button for your shared group to begin sharing it with others.
- Click the *Start sharing this group* link.

| EndNote | My References | Collect |
|---------|-----------------------|---------|
| | | |
| Manag | je Sharing for 'Co | rvids' |
| 0 E-r | mail Addresses | |
| Sta | rt sharing this group | |
| | | |

• You will see the Window below.

| Add E-mail Addresses to 'Corvids' |
|---|
| Enter e-mail addresses. Use the Enter or Return key to separate addresses. |
| endnote.anywhere@icloud.com |
| - OR - |
| Select a text file with e-mail addresses separated by commas. Choose File No file chosen |
| Read only Read & Write |
| Note: Attachments are not shared, regardless of access privileges. |
| Apply Close window. |
| View in 简体中文 繁体中文 English Deutsch 日本語 한국어 Português Español |

- Add the email address(es) for those you want to share the group with, with each email address on a separate line. This must be the email address they are using for their own EndNote online/basic account. You cannot share a group with somebody who is not using EndNote online/basic.
- Select the access rights you want to give this person.
 - Read only access will allow them to view your references, copy your references into their own EndNote online library, or use your references in Microsoft Word, but it will not allow them to edit your references.
 - Read & Write access will allow them to view your references, copy your references into their own EndNote online library, or use your references in Microsoft Word, and it will also allow them to edit your references, add new references, and delete your references. Changes made to your references by others with Read & Write access will also be synchronized back to your EndNote desktop library if you are synchronizing your libraries.
- Click on the *Apply* button to save the options, then the *Close window* link.

• You should now see something like the screen below, showing who you have shared the group with and what level of access you have given them. You can change the level of access or stop sharing the group with them at any time.

| Ma | nage Sharing for 'Corvids' | | | | | | |
|----|----------------------------------|---------------|-------------------|--------|--------|--|--|
| | 1 E-mail Address | | | | | | |
| | E-mail Address 🕈 | Read only | Read & Write | | | | |
| | endnote.anywhere@icloud.com | \bigcirc | ۲ | Edit | Delete | | |
| | Add More | | | | | | |
| | Note: Attachments are not shared | d, regardless | s of access privi | leges. | | | |
| | Delete All | | | | | | |

7.3.3 Share a Group through EndNote

This is a new feature in EndNote X9 and requires syncing your EndNote library first.

• Select the custom group you want to share. Only custom groups can be shared, smart groups, combination groups, and group sets cannot be shared.



• Select *Share Group* from the *Groups* menu.



EN The Little EndNote How-To Book

• You will need to know the email address the person you are sharing with uses for their EndNote online account. 1) Enter the email address for the EndNote online account you are sharing the group with, 2) choose which level of permission you want to give your collaborator, 3) add a private message, if you wish, and 4) click the *Invite* button to add your collaborator to your shared group.

| Sharing Group Parrots | × |
|---|------------|
| Find People | |
| Sharing with | Permission |
| Invite More People | |
| Enter email addresses separated by commas | |
| endnote.ubiquitous@icloud.com < | |
| Permission: Read & Write 2 Read & Write Add a messa Read Only | |
| I'm sharing my EndNote online group about Parrots with you. | |
| EndNote Training | |
| 4 — | Invite |
| | Close |

EN The Little EndNote How-To Book

• After sending the invitation, the window below 1) shows the shared group name, 2) shows all those the group has been shared with, 3) allows the owner to change the permissions for anyone the group is shared with, remove them from the group, or remind them to accept the invitation if they are still pending. When finished, 4) click the *Close* button to close the windows.

| Sharing Group Parrots | | × | |
|--|----------------------------|---------------|---|
| Find People | | | |
| Sharing with endnote.ubiquitous@icloud.com | Permission Read & Write | * 3 | |
| 2 | | Remove | e |
| | | Remino | I |
| | | Read O | |
| Invite More People Enter email addresses separated by commas Permission: Read & Write Add a message: (optional) | | /ite Close | |

7.3.4 What the User You Shared Your Group with Will See in EndNote Online

• The user you shared your group with will see your group show up under a *Groups Shared by Others* heading in their EndNote online library. The icon of two people with a pencil you see below will only show when they have been given *Read & Write* access to the group.




• If the user the group was shared with selects *Others' Groups* from their *Organize* tab, they will see the screen below. Here they can see the EndNote online account owner of the group and can set if the group will be shown on the *My References* tab or used in Microsoft Word with Cite While You Write.

| EndNote™ | My Refer | rences Collect | t Organize | Format Match | Options | Downloads | | |
|----------------|----------|-------------------------|--------------|-------------------|--------------|-------------------------|---------------|--|
| | | | Manage My (| Groups Others' Gr | oups Find Du | plicates Manag | e Attachments | |
| Others' (| Proups | | | | | | | |
| Others' Groups | | | | | | | | |
| | | | | | | | | |
| | - | lles for | | | | Number of | | |
| Acces | s Show | Use for Cite While Y | ou Write Gro | oups Others Sha | re with Me | Number of References | Owner | |

• Note that groups and references that others share with you are not actually part of your library and will not sync to your EndNote library on the desktop.

7.3.5 What the User You Shared Your Group with Will See in EndNote

• The person the group was shared with will see it appear under *Groups Shared by Others* in EndNote X9 or later. The references will not appear on the desktop but clicking on a group in the list will activate a shortcut to EndNote online.




7.4 Put a Read-Only EndNote Library on a Network Drive

If your group needs to share access to attachments as well as reference data, but for some reason cannot use EndNote Sync, needs to share attachments with more than 100 others, or is using a version of EndNote previous to EndNote X7, another option is to put a read-only copy of the library on a network drive. The library will need to be read-only because only one person at a time can access an EndNote library with read-write access, while an unlimited number of people can access a read-only library at the same time, and because *read-write libraries kept on a network drive are prone to corruption*. This means one person should be in charge of the master library and keep it on their own computer, then periodically put a read-only copy of the library on the network drive.

Your network administrator can set up folders on network drives with security settings to allow only one person to add files while everybody else has read-only access. If you can enlist your network administrator's help, this is best. Please note that you should *not* put a *read-write* copy of a library on a network drive for two reasons—

- 1. Only one person at a time would be able to use the library.
- 2. There is a risk of corrupting the library.

• When you open a read-only library, you will see a screen like the one below. Click the *OK* button to open the library. You will be able to use the library with Cite While You Write, search it, print from it, and do anything except change it.



• The suggested "best method" for putting your read-only copy on the network drive is to first make a compressed library with all records and all attachments on your hard drive, then copy that file to the network location and open it there. It will uncompress to create the .enl file and .data folder necessary to work in the library.

7.5 Send a Compressed Library

If you are unable to use the methods described above, you could instead send a compressed library through email, burn it to disk, or put it on a flash drive or on a shared cloud service. This method allows you to control exactly references are included, and whether or not attachments are included.

The disadvantage of this method is that users are not working with the same copy of the library. Each person would have their own copy of the library and changes to references could be made in each copy differently.

• With the EndNote library you want to compress open in EndNote, select *Compressed Library* from the *File* menu. You should then see the screen below, which you saw earlier in this chapter, but because you are not making a complete backup copy this time you can limit the references to only those you want to send.

| Compressed Library (.enlx) | × |
|---|--|
| ● Create ○ Create & E-mail | With File Attachments Without File Attachments |
| All References in Library: Selected Reference(s) | Sample_Library_X9.enl |
| ◯ All References in Group/Group Set: | Avian Intelligence 🗸 🗸 |
| | Next Cancel |

N The Little EndNote How-To Book

- Select the *Create* option to create a compressed library you can save on your computer and then attach to an email. The *Create & E-mail* option will work with most MAPI-compliant email programs, but may not work with all email programs. It will not work with web email programs such as Gmail.
- Select the *With File Attachments* option to include all attachments for the references you are sending, not just the PDFs. Select *Without File Attachments* to make the file smaller and to remove PDFs and other attachments.
- The bottom part of the window gives you options on which references will be included in the compressed file.
 - *All References in Library* would include all the references in your library. This option is also an excellent way to create backup copies of your libraries. Please note that you may be unable to attach very large libraries with attachments to emails or even put them on disks because of operating system limitations on the size of zipped/compressed files.
 - Selected Reference(s) will include only the references you have highlighted (selected) in the library.
 - *All References in Group/Group Set* will allow you to include only the references in a specific group or group set.
- Click the *Next* button to see the screen below, where you can choose where the compressed library will be saved and rename it, if desired. In the example below the date has been added to the library name to help identify it later. Please note, again, that a compressed library can be saved to a cloud-syncing folder **but it cannot be opened and safely worked with in the cloud-syncing folder**. The library would need to be moved out of the cloud-syncing folder to be able to open it and work with it safely. See section <u>7.1.1</u> for more information.

| Save Compressed Library (.enlx) | | × |
|---|--|--------------|
| ← → ∨ ↑ 脑 > This PC > Documents | ✓ ♂ Search Documents | 9 |
| Organize • New folder | | ? |
| A Name Name MathMagic Equation Editor OneNote Notebooks OneNote Notebooks | Date modified Type 1/31/2018 2:17 PM File fr 9/28/2017 12:22 P File fr | oli oli 🗸 |
| File name: Sample_Library_X9.enlx Save as type: EndNote Compressed Library (*.enlx) A Hide Folders | Save Cancel | ~ |

- Click the *Save* button to save your compressed library. Please note that a large library with many attachments may take a long time to compress. The compressed library will have a .enlx extension.
- The compressed library can now be attached to an email, burned to disk, or put on a network or cloud drive for distribution.

- When the recipient wants to use the library, they will need to place it on their computer in its working location, then select *Open→Open Library* from the *File* menu in EndNote and select the compressed library file as the file they wish to open. When the file uncompresses it will become a .enl file and .data folder.
- Note that recipients of the compressed library will see all the groups and group sets in the library but only the references you choose to include.

7.6 The Traveling Library

7.6.1 Using the Traveling Library to Create Bibliographies in Shared Documents

If you need only to create a Word document with references from multiple libraries, and do not need to share the actual data in the library or attachments, you can use the traveling library. This feature is only available in Microsoft Word.

Whenever you insert an EndNote citation in a Word document, you are inserting a copy of the bibliographic data for that citation in the field code for the citation. That data becomes part of the paper; when an EndNote-using colleague works on that paper, they don't need a copy of your library because all your citation data is embedded in the paper's traveling library.

• Here's an example of a simple citation and bibliography entry from a sample Word document.

Text.(Pepperberg, 2011)

Pepperberg, I. M. (2011). Avian cognition and social interaction: Fifty years of advances. *Interaction Studies, 12*(2), 195-207. doi:10.1075/is.12.2.01pep

• However, that citation came from EndNote, so it has the data seen below "traveling" in the citation and able to be used by any EndNote user editing the paper. This data is usually invisible to the reader, but accessible to EndNote.

| Text.{ ADDIN EN.CITE |
|---|
| <endnote><cite><author>Pepperberg</author><year>2011</year><recnum>2313</recnum></cite></endnote> |
| > <displaytext>(Pepperberg, 2011)</displaytext> <record><rec-number>2313</rec-number></record> |
| number> <foreign-keys><key <="" app="EN" db-id="50wxdpzd9vd5r7e9t5b595djrfpttrxw9avp" td=""></key></foreign-keys> |
| timestamp="1363371157">2313 <ref-type name="Journal</td></tr><tr><td>Article">17</ref-type> <contributors><authors><author>Pepperberg, I.</author></authors></contributors> |
| M. <auth-address>[Pepperberg, Irene M.] Harvard Univ,</auth-address> |
| Dept Psychol, Cambridge, MA 02138 USA. [Pepperberg, Irene M.] Brandeis Univ, Waltham, MA |
| 02254 USA. Pepperberg, IM (reprint author), Harvard Univ, Dept Psychol, William James |
| Hall,33 Kirkland St, Cambridge, MA 02138 USA.
impepper@media.mit.edu |
| address> <titles><title>Avian cognition and social interaction: Fifty years of</td></tr><tr><td>advances</title><secondary-title>Interaction Studies</secondary-title><alt-title>Interact.</alt-title></titles> |
| Stud. <periodical><full-title>Interaction Studies</full-title><abbr-1>Interact.</abbr-1></periodical> |
| Stud. <abbr-2>Interact Stud</abbr-2> <alt-periodical><full-< td=""></full-<></alt-periodical> |
| title>Interaction Studies <abbr-1>Interact. Stud.</abbr-1> <abbr-2>Interact</abbr-2> |
| Stud <pages>195-</pages> |
| 207 <volume>12</volume> <number>2</number> <keywords><keyword>avian</keyword></keywords> |
| cognition <keyword>avian social learning</keyword> <keyword>avian observational</keyword> |
| learning <keyword>avian communication</keyword> <keyword>parrots psittacus-</keyword> |
| erithacus <keyword>white-crowned sparrow</keyword> <keyword>african grey</keyword> |
| parrot <keyword>song development</keyword> <keyword>videotaped</keyword> |
| instruction <keyword>intelligence</keyword> <keyword>budgerigars</keyword> <k< td=""></k<> |
| eyword>information <keyword>context</keyword> <keyword>pigeon</keyword> </td |
| keywords> <dates><year>2011</year></dates> <isbn>1572-0373</isbn> <accession-< td=""></accession-<> |
| num>WOS:000295010300001 <work-type>Editorial Material</work-type> |
| type> <urls></urls> <electronic-resource-num>10.1075/is.12.2.01pep</electronic-resource-num> |
| num>} |

• Below is the same reference, but reformatted with the Vancouver style instead of the APA style. That's not anything special for EndNote. However, this citation and bibliography were formatted *with no libraries open in EndNote!* That means the only information EndNote had to work with was the data available in the traveling library.

Text.(1)


1. Pepperberg IM. Avian cognition and social interaction: Fifty years of advances. Interact Stud. 2011;12(2):195-207.

• This means you can send a copy of your paper to a colleague using EndNote, and they do not need a copy of your library. They can add citations from their own EndNote library, and EndNote will merge your citations and theirs together to create a single bibliography.

7.6.2 Exporting the Traveling Library

Data in a traveling library can be extracted and put in your own EndNote library.

• On the Cite While You Write tab in Word for Windows, click *Export to EndNote* in the *Tools* group, then select *Export Traveling Library* from the drop-down list. On Macintosh, select *Export Traveling Library* from the *Tools* drop-down.



• Select the EndNote library to import the references to or create a new library. EndNote will filter out duplicate references that came from the library you select.

| Four east Transcelline et Libraries | X | |
|--|-----|---|
| Export Traveling Library | ^ | Export Traveling Library |
| Export Library to: An existing EndNote library: Sample_Library_X9 Brow C A new EndNote library | vse | Export Library to: An existing EndNote library: Sample_Library_X8 Solution A new EndNote library |
| OK Cancel H | elp | ? Cancel OK |
| Windows | | Macintosh |

• For large documents with many references, it may take some time for all the references to be exported, so be patient. EndNote will show a confirmation message when the export is complete, as shown below.

| EndNote X9 X | Export complete. |
|--------------|-----------------------|
| ОК | ОК |
| Windows | Macintosh (Word 2016) |

• In the Word document, use the Update Citations and Bibliography command to update the citations in the paper from the new records in the open EndNote library.

| 🕞 Update Citations and Bibliography | Update Citations and Bibliography |
|-------------------------------------|-----------------------------------|
| Windows | Macintosh (Word 2016) |

The method of collaboration you decide to use will depend on your situation, but hopefully this overview will help you decide which method is best for you.

7.7 Summary Comparison of Sharing Methods

| Features | Share Full Library through EndNote Sync | Share Groups through EndNote Online | Share a Read-Only Copy of Library on a Network Server | Share a Compressed Library |
|--|---|---|---|----------------------------------|
| Can share all references and groups in library | Y | Y | Y | Y |
| Can share attachments | Y | Ν | Y | Y |
| All members of sharing community can edit them | Y1 | Y1 | Ν | γ ² |
| All changes automatically available to all members of the sharing community | Y | Y | N ³ | Ν |
| Maximum number of members in sharing community (EndNote X9) | 101 | NA ⁴ | NA ⁴ | NA ⁴ |
| Library owner can set read-write or read-only access rights for other members of the community | Y | Y | Ν | Ν |
| Shared library resides on customer's server | Ν | Ν | Y | NA |
| Shared library resides on EndNote online server | Y | Y | Ν | NA |
| All members of the community working with the same set of references | Y | Y | Ν | Ν |

 $^{\scriptscriptstyle 4}$ No set limit

¹ If owner has given read-write permission.

² Everyone would have separate copies of the library and could only edit their own copy.

³ Changes to the library could only be made by the owner. Others in the sharing community would only see changes after the owner uploads them to the copy on the server.

8 Using the Label Field as a Custom Identification Number


The EndNote record number is not a permanent identification number and can change when using EndNote Sync, if a record is copied into a new library, or even if a record is cut and then pasted back into the same library. If you prefer an unchanging field to identify a record in both your library and for Cite While You Write, consider using the Label field in EndNote.


In your original library, you can copy the record number to the Label field for selected references. It is best to assign all Label field numbers in the same copy of the library, to be sure the number will always be unique. Remember that the new Label number may not match the record number in all copies of the library.

8.1 Set the Label Field to Show in the Library Display

Setting the Label field to show in the library display will allow you to easily see which records do not have text in the Label field, to avoid copying the record number for a record that already has data in that field.

• Open the EndNote preferences by selecting *Edit*, then *Preferences* on Windows or *EndNote Xx*, then *Preferences* on Macintosh.





• Click *Display Fields* at the left, then select the *Label* field from the drop-down list for the column you want to assign to the Label field. In this example column 1 is selected.

| EndNote Preferences | | | | | × |
|---------------------------------|--------------|--|---|---------|---|
| Change Case | Fields to di | splay in the library window | | | |
| Display Fonts | Position | Field | | 2)ading | |
| Duplicates | Column | Read/Unread Status | ~ | | |
| -Find Full Text | | Reviewed Item | ~ | | |
| -Folder Locations | Column | Custom 1 Custom 2 | | | |
| - Formatting - Libraries | Column | Custom 3 Custom 4 | | Author | |
| -PDF Handling -Read / Unread | Column | Custom 5 Custom 6 | | Year | |
| -Reference Types | Column | Custom 7 Custom 8 Accession Nroher | | Title | |
| -Sorting Spell Check | Column | Call Number | | Rating | |
| -Sync -Temporary Citations | Column | Keywords Abstract | | Journal | |

• For my example I have chosen to show both the Label field and the Record Number field, so that I can easily compare the two in my library display. Note that I have also edited the heading for the Record Number field to shorten "Record Number" to "Record #," to reduce the column width necessary to show the heading. Click the *OK* button to close and save the changes on Windows. On Macintosh, click the *Save* button, then close the window. (Only Windows illustrations shown below.)

| EndNote Preferences | | | | | × |
|---|---|--|--------|--|-------|
| - Change Case Display Fields - Display Fonts - Duplicates - Find Full Text - Folder Locations - Formatting - Libraries - PDF Handling | Fields to dis Position Column Column Column | Field Field Label Record Number Author | ~ ~ | Heading Label Record # Author | |
| EndNote Defaults Ro | evert Panel | | ОК | Cancel | Apply |

• You should now see a screen showing the Label field, as in the example below. This will allow you to easily select records that do not have a number assigned to the Label field.


| Sample_Library_X9.enl | | | | | | | | | × |
|------------------------------|------------|----------|-------------------------------|---|--------------|----------|------------------------|-----------------------------|-----|
| 亡 🔇 💽 APA 6th | - 🔁 🛛 | 1 🕄 🕹 | £ & Ø 8 | > 🗾 🗟 💷 💭 | Lt and - | ? Quick | Search | Q • | , |
| My Library | ^ s | earch C | ptions + | | Search Whole | Library | → Match | Case Match Wor | rds |
| All References | (59) | | | 1 | | | | | |
| 💽 Configure Sync | | Author | ~ | Contains | ~ | | | + - | |
| 🕙 Recently Added | (0) Label | Record # | Author Year | Title | Rating | Journal | Last Updated | Reference Type | |
| Unfiled | (0) | 62 | 2009 | Leaf-nosed bat | ** • • • | Encyclo | 5/5/2010 | Encyclopedia | |
| Trash | (0) | 80 | Allen, G 2004 | Bats: biology, behavior, | | | 5/5/2010 | Book | |
| ■ Avian Intelligence | | 73 76 | Avila-Fl 2004 Bat Con 2008 | Ecological, taxonomic, a Bat Conservation Intern | | Journal | 6/15/2018 3/22/2013 | Journal Article Web Page | |
| Avian Cognition | (31) | 76 | Binfield 2008 | At PLoS ONE we're batt | | PLoS: Pu | 3/22/2013 | Blog | |
| | (19) | 2318 | Bird, C 2009 | Insightful problem solvi | ** | | 6/15/2018 | Journal Article | |
| Corvids & Parrots | (6) | 65 | Brinklov 2009 | Intense echolocation ca | | Journal | 6/15/2018 | Journal Article | |
| | | 75 | Chiu, C 2007 | The role of the external | | Journal | 3/22/2013 | Journal Article | |
| Parrots | (24) | 68 | Chiu, C.; 2008 | Flying in silence: Echol | | Proceed | 6/15/2018 | Journal Article | |
| 🖃 🗉 Bats | | 2320 | Clayton, 2009 | What do jays know abo | | Neurobi | 3/22/2013 | Book Section | |
| Chiroptera | (22) | 2339 | Delong, 2008 | Evidence for spatial rep | | J Acoust | 6/15/2018 | Journal Article | |
| Echolocation | (6) | 2285 | Emery, 2006 | Cognitive ornithology: | *** | | 6/15/2018 | Journal Article | |
| - | | 2319 | Emery, 2009 | Tool use and physical c | * | Current | 3/21/2013 | Journal Article | |
| Echolocation OR Sonar | (7) | 2324 | Emery, 2007 | Cognitive adaptations | * | Philosop | 6/15/2018 | Journal Article | |
| 🗱 Sonar | (5) | 74 | EUROB 2004 | EUROBATS: The Agree | | | 3/22/2013 | Web Page | |
| ■ My Groups | | 2268 | Fraser, 2011 | Ravens reconcile after a | ** | PLoS ONE | 6/15/2018 | Journal Article | |
| | | 2291 | Funk, M 2002 | Problem solving skills i | | | 3/22/2013 | Journal Article | |
| 🔆 Cognition-All | (33) ¥ | 2308 | Goto. K 2012 | Large-billed crows (Cor | | Animal | 3/22/2013 | Journal Article | |
| Showing 59 of 59 references. | | | | | | | | 🔚 Layout | • |

8.2 Make a Backup of the Library

If you make a mistake while copying the record number to the Label field, there is no way to undo the change, so make a backup copy of the library before starting this process. See section <u>5.1.1</u> for instructions on creating a backup.

8.3 Copying the Record Number to the Label Field

• Select all the records for which you intend to copy the record number to the Label field, then select *Show Selected References* from the *References* menu. EndNote will apply the change to all references showing in the list, so you need to limit the references showing to those you want to change.



• Select Change/Move/Copy Fields from the Tools menu.




In the Change/Move/Copy Fields window, select 1) the Move/Copy Fields tab, 2) Copy Field, 3) Record Number as the field to copy from, 4) Label as the field to copy to. You will have options to insert the record number after or before existing text in the Label field, or to replace all text currently in the field, so if you have existing text in the field it is possible to keep it and append the record number. Click 5) the OK button to apply your choices.

| Change/Mo | ove/Copy Fields | | × |
|------------|---|-------------------------|---|
| Change Fie | lds Move/Copy Fields | - | |
| Ŭ | ove Field 2 opy Field | 3 | |
| From: | Record Number | ~ | - |
| To: | Label | | |
| | Insert After Field's Text Insert Before Field's Text Replace Entire Field | Don't Move Empty Fields | |
| | [| OK Help | D |

EN The Little EndNote How-To Book

• EndNote will report the number of references the change will apply to and which fields will be affected, and ask for a confirmation. If the message shows the correct information, click the *OK* button. (Reminder: There is no Undo command if you make a mistake, so check the information in this screen for accuracy and backup the library before continuing, if you have not already done so.)



• When finished with the changes, EndNote will report the number of references changed. Click the *OK* button to close the window.

| EndNo | te |
|-------|-----------------------------------|
| 0 | Made 59 changes in 59 references. |
| | ОК |

• The library now shows the same number for the record number and in the Label field for this library on the original computer.

| 🚞 🔇 💽 APA 6th | • | b E | S 🕹 | £Q | 8 | > 🔊 🗟 🖬 💭 | Lt 2 - (| ? Quick S | Search | Q - | |
|-------------------------|--------|-------|----------|-----------|----------|--------------------------|-----------------|-----------|--------------|------------------|----|
| Ay Library | ^ | Sear | ch O | otions 🕨 | | | Search Whole Li | brary | → Match | Case 🗌 Match Wor | ds |
| All References | (59) | | | | | | | | | | |
| 💽 Configure Sync | | | Author | | ~ | Contains | ~ | | | + - | |
| Secently Added | (0) | Label | Record # | Author | Year | Title | Rating | Journal | Last Updated | Reference Type | Ī |
| Unfiled | (0) | 62 | 62 | | 2009 | Leaf-nosed bat | ** • • • | Encyclo | 6/19/2018 | Encyclopedia | 1 |
| Trash | (0) | 80 | 80 | Allen, G | 2004 | Bats: biology, behavior, | | | 6/19/2018 | Book | |
| - | (-) | 73 | 73 | Avila-Fl | 2004 | Ecological, taxonomic, a | | Journal | 6/19/2018 | Journal Article | |
| Avian Intelligence | | 76 | 76 | Bat Con | 2008 | Bat Conservation Intern | | | 6/19/2018 | Web Page | |
| Avian Cognition | (31) | 79 | 79 | Binfield, | 2008 | At PLoS ONE we're batt | | PLoS: Pu | 6/19/2018 | Blog | |
| Corvids | (19) | 2318 | 2318 | Bird, C | 2009 | Insightful problem solvi | ** | Proceed | 6/19/2018 | Journal Article | |
| Corvids & Parrots | (6) | 65 | 65 | Brinklov | 2009 | Intense echolocation ca | | Journal | 6/19/2018 | Journal Article | |
| - | | 75 | 75 | Chiu, C | 2007 | The role of the external | | Journal | 6/19/2018 | Journal Article | |
| Parrots | (24) | 68 | 68 | Chiu, C.; | 2008 | Flying in silence: Echol | | Proceed | 6/19/2018 | Journal Article | |
| = Bats | | 2320 | 2320 | Clayton, | 2009 | What do jays know abo | | Neurobi | 6/19/2018 | Book Section | |
| 📃 Chiroptera | (22) | 2339 | 2339 | Delong, | 2008 | Evidence for spatial rep | | J Acoust | 6/19/2018 | Journal Article | |
| | | 2285 | 2285 | Emery, | 2006 | Cognitive ornithology: | *** | Philosop | 6/19/2018 | Journal Article | |
| Echolocation | (6) | 2319 | 2319 | Emery, | 2009 | Tool use and physical c | * | Current | 6/19/2018 | Journal Article | |
| 🔘 Echolocation OR Sonar | (7) | 2324 | 2324 | Emery, | 2007 | Cognitive adaptations | * | Philosop | 6/19/2018 | Journal Article | |
| 🗱 Sonar | (5) | 74 | 74 | EUROB | 2004 | EUROBATS: The Agree | | | 6/19/2018 | Web Page | |
| - My Groups | | 2268 | 2268 | Fraser, | 2011 | Ravens reconcile after a | ** | PLoS ONE | 6/19/2018 | Journal Article | |
| | | 2291 | 2291 | Funk, M | 2002 | Problem solving skills i | | Animal | 6/19/2018 | Journal Article | |
| 🗱 Cognition-All | (33) 🗡 | 2308 | 2308 | Goto, K | 2012 | Large-billed crows (Cor | | Animal | 6/19/2018 | Journal Article | |

• However, when that library is synced to a second computer, the record number is no longer the same for all records as the contents of the Label field. The label number will remain constant even though the record number changes, and can now be used as an unchanging tracking number and in Cite While You Write.

| • • • | | | | endnote.training@outlook. | com | |
|-----------------------|----|-------|----------|-----------------------------------|------|---|
| 0 1 4 0 | F. | | | Clarivate Analytics | | Q Search Library |
| My Library | ~ | Label | Record # | Author ^ | Year | Title |
| | | 62 | 31 | | 2009 | Leaf-nosed bat |
| All References | 59 | 80 | 42 | Allen, Glover M. | 2004 | Bats: biology, behavior, and folklore |
| Sync Status | | 73 | 49 | Avila-Flores, R.; Medellin, R. A. | 2004 | Ecological, taxonomic, and physiological correlates of cave use |
| Recently Added | 59 | 76 | 39 | Bat Conservation International, | 2008 | Bat Conservation International |
| Unfiled | | 79 | 41 | Binfield, Peter | 2008 | At PLoS ONE we're batty about bats |
| Trash | | 2318 | 56 | Bird, C. D.; Emery, N. J. | 2009 | Insightful problem solving and creative tool modification by capti |
| in Hash | | 65 | 47 | Brinklov, S.; Kalko, E. K. V.; S | 2009 | Intense echolocation calls from two 'whispering' bats, Artibeus ja |
| ▼ Bats | | 75 | 38 | Chiu, Chen; Moss, Cynthia F. | 2007 | The role of the external ear in vertical sound localization in the fr |
| Chiroptera | 22 | 68 | 48 | Chiu, C.; Xian, W.; Moss, C. F. | 2008 | Flying in silence: Echolocating bats cease vocalizing to avoid so |
| | | 2320 | 19 | Clayton, N. S.; Emery, N. J. | 2009 | What do jays know about other minds and other times? |
| Echolocation | 6 | 2339 | 59 | Delong, C. M.; Bragg, R.; Sim | 2008 | Evidence for spatial representation of object shape by echolocati |
| Echolocation OR Sonar | 7 | 2285 | 51 | Emery, N. J. | 2006 | Cognitive ornithology: The evolution of avian intelligence |
| 🔅 Sonar | 5 | 2319 | 18 | Emery, N. J.; Clayton, N. S. | 2009 | Tool use and physical cognition in birds and mammals |
| | | 2324 | 57 | Emery, N. J.; Seed, A. M.; von | 2007 | Cognitive adaptations of social bonding in birds |
| Avian Intelligence | | 74 | 37 | EUROBATS Secretariat, | 2004 | EUROBATS: The Agreement on the Conservation of Population |
| Avian Cognition | 31 | 2268 | 50 | Fraser, O. N.; Bugnyar, T. | 2011 | Ravens reconcile after aggressive conflicts with valuable partners |
| Corvids | 19 | 2291 | 3 | Funk, M. S. | 2002 | Problem solving skills in young yellow-crowned parakeets (Cyan |
| Corvids & Parrots | 6 | 2308 | 10 | Goto, K.; Watanabe, S. | 2012 | Large-billed crows (Corvus macrorhynchos) have retrospective |

Please note the process above would need to be repeated whenever new references were added to the database, or the Label field would need to be manually updated. *We suggest always backing up the library before making any major changes in the library.* See section <u>5.1.1</u> for instructions on creating a backup.

8.4 Setting Cite While You Write to Use the Label Field

• Open the preferences again and 1) select *Temporary Citations* from the list at the left, 2) mark the box to *Use field instead of record number*, 3) select *Label* as the field to be used, and 4) click the *OK* button on Windows to save the changes and close the window (on Macintosh, click the *Save* button and close the window). This change should be made by anybody who is using the Synced library, on all their computers, so that references inserted in the document by all persons working on it will use the Label field. If someone does not set this option, EndNote can still format the citation, but it will not use the Label field in the citation.

| EndNote Preferences | | × |
|---|---|---|
| Change Case Display Fields Display Fonts Duplicates Find Full Tex 2 Folder Locations Formatting Libraries PDF Handling Read / Unread Reference Types Sorting Spell Check Sync Temporary Citations Term Lists URLs & Links | Temp Citation { } Record Number Marker: # 3 Use field instead of record number: Label 3 Citation Prefix \ 1 Indicate Notes With: NOTE: 3 Examples of Temporary Citations Typical {Smith, 1997 Label} Citation with {see also \Jones, 1997, Label} 3 Text Note Citation: {NOTE:Special recognition given to} 1 | |
| EndNote Defaults R | evert Panel 4 OK Cancel Appl | у |

• In the future, temporary citations will be inserted into Word documents with the first author's last name, the year, and the label number you assigned instead of the record number. Temporary citations should look something like this:

{Volk, 2012, 2376}.

Index of Topics

ADMIN.bat, 6 ADMIN.zip, 6 Attachment Space in EndNote Online, 86 Backing Up a Library. See Compressed Libraries:For Backups Browser Actions with Direct Export, 31 Firefox on Macintosh, 33 Firefox on Windows, 31 Google Chrome on Macintosh, 36 Google Chrome on Windows, 35 Capture. See EndNote Online:Capture Capture Bookmarklet. See EndNote Online:Capture Bookmarklet Change/Move/Copy Fields, 107 Cite While You Write, 22, 64, 71, 77, 96, 98, 102 Word 2016 for Macintosh, 77 Adding Citations, 77, 79 Configuring the Bibliography, 80 Editing Citations, 81 Installing, 77 Selecting Styles, 80 Word for Windows, 71 Adding Citations, 71, 73 Configuring the Bibliography, 74 Editing Citations, 75 Installing, 71 Selecting Styles, 74 Collaboration, 84 EndNote Groups Shared by Others, 97 Sharing Groups, 93 EndNote Online, 90 Groups Shared by Others, 96 Sharing Groups, 91 How Not to Share a Library, 84 Amazon Cloud, 84 Apple Optimized Storage, 84 Box, 84 Cloud Services, 84 Dropbox, 84 EndNote Read-Write Libraries on Network Drives, 85 Google Drive, 84 iCloud, 84 OneDrive, 84

Sending .enl Files, 85 SharePoint, 84 Store in iCloud, 84 SugarSync, 84 Network Drives, 85, 97 EndNote Read-Only Library, 97 EndNote Read-Write Libraries, 85 Send a Compressed Library, 98 Sharing a Full EndNote Library, 85 Sharing a Full EndNote Library in EndNote X7.2 or Later How to Share a Library, 87 The Basics, 86 Summary Comparison of Sharing Methods, 104 Traveling Library, The, 100 Exporting, 102 Compressed Libraries, 98 For Backups, 58 For Sharing Refences, 98 Creating a Site License Installer for Windows, 6 Custom installation, 10, 13, 16, 17 Customizer, 16, 21, 23, 80 CWYW. See Cite While You Write Direct Export, 24 EndNote Online Plug-In, 38 Google Chrome on Windows, 38 PubMed, 28 Not Using the Clipboard, 29 Using the Clipboard, 28 Using EndNote Online Plug-In, 65 Web of Science, 24 Not Using the Marked List, 26 Using the Marked List, 24 Display Fields, 105 EndNote Library Components, 85 Sharing. See Collaboration, See Collaboration EndNote Online, 38, 58 Capture Capturing a Single Reference, 69 Capturing Multiple References, 66 PubMed, 67 PubMed in Firefox, 67 PubMed in Google Chrome, 67 PubMed in Internet Explorer or Firefox, 67 Capture Bookmarklet, 66 Google Chrome and Safari, 66

Safari on iPad, 66 EndNote Online Plug-In, 38 Sharing Groups and References, 90 EndNote Online Plug-In, 60 Capture, 66 Installing Internet Explorer, 60 EndNote Sync, 58, 59 Setup, 58 EndNote Windows installer, 6 EndNote X9 Site Installer.dmg, 18 ENX9Inst.msi, 6, 10, 11 Importing Text Files, 44 PubMed, 51 Macintosh, 55 Windows, 53 Web of Science, 44 Macintosh, 48 Windows, 46 Installing EndNote, 6 For Administrators, 6 For Users, 9 Custom Installation for a Single-User License on Macintosh, 23 Custom Installation for a Single-User License on Windows, 16 Custom Installation for a Site License Copy on Macintosh, 17 Custom Installation for a Site License Copy on Windows, 9 Label field, 105 Label field for permanent ID number, 105 license.dat, 6, 10 **PDF** Files Importing, 39 Macintosh, 40 Windows, 39 PDF Handling Preferences, 42 Macintosh, 43 Windows, 42 Preferences, Setting PDF Handling, 42 PubMed, 28, 29, 31, 39, 67 Direct Export. See Direct Export: PubMed Importing Text Files, 51 Saving the Data, 51 record number, 105 Sharing EndNote References. See Collaboration Site License Installer for Macintosh, The, 9 Sync. See EndNote Sync

Synchronizing Libraries. *See* EndNote Sync Synchronizing References. *See* EndNote Sync Typical installation, *9*, *13*, *17* Uninstalling EndNote Macintosh, *16* Windows, *10* Web of Science Direct Export. *See* Direct Export:Web of Science Importing Text Files, *44* Saving the Data, *44*